

circuit
price list

march 2018

Sales and Service Policy

Guidelines detailing the operating policies and procedures of Bernhardt Design are provided in the Sales and Service Policy available online at <http://www.bernhardtdesign.com/sales-and-service-policy>.

Prices and Specifications

Prices and specifications are subject to change without notice. All prices quoted will be FOB our factories. If applicable, sales tax will be based on ship-to destination.

Bernhardt Design reserves the right to make changes in dimensions, construction, price lists, or product literature without prior notice.

Order Entry

All orders are subject to final acceptance by Bernhardt Design in Lenoir, NC. Receipt of our acknowledgment indicates acceptance of your order subject to the terms set forth on the acknowledgment. Bernhardt Design attempts to clarify all purchase orders. However, in the event the price list number and description on the purchase order differ, the price list number will prevail.

Changes / Cancellation

All orders in production are considered firm orders and are not subject to changes or cancellation.

Custom Design

Bernhardt Design may alter products to meet specific needs. Contact your local sales representative when a custom design is needed. Custom designs require minimum quantities, additional lead time, and upcharges.

A custom job number, available from your local sales representative, must be submitted with purchase orders. Orders combining custom design with standard product cannot be scheduled for production until custom items are approved.

Custom design orders are not subject to revision or cancellation after acknowledgment.

Shipping

Bernhardt Design will ship in accordance with customer instructions whenever possible. If not specified, Bernhardt Design will exercise its best judgement in selecting a carrier. Orders in production will be shipped as scheduled and cannot be held.

High quality cartoning meeting trucking and railroad specifications is standard at no extra charge. Some items may be blanket wrapped for shipment.

Freight Damage and Claims

Bernhardt Design is not liable for damages that occur during transit or storage. The carrier assumes all responsibility upon acceptance of product. It is the customer's responsibility to inspect all products upon receipt and file any claims with the carrier. No product should be refused.

If products are received damaged, a written exception should be made on the bill of lading and an immediate inspection be requested of the carrier. Concealed damage must be reported to the carrier within 10 business days from date of delivery. Failure to make claims shall constitute acceptance of the products and waiver any claims of defects, errors or shortages.

In the event delivery is made on a Bernhardt Design truck, the products should be carefully inspected for transit damage. If contents are damaged, the driver should be notified to call his dispatcher for immediate disposition. Concealed damage must be reported within 10 business days from date of delivery and product/package held for inspection by a Bernhardt Design representative.

Replacements for product damaged in shipment or storage will be manufactured upon receipt of a purchase order.

Returns

No merchandise may be returned to Bernhardt Design without written consent in the form of a Return Authorization from our Quality Assurance Department stating why the item is being returned and how the item will be shipped.

Unauthorized returns will be automatically refused by our receiving department as well as returns not in accordance with Bernhardt Design shipping instructions. Liability for defective merchandise shall be limited to the replacement or repair of that merchandise, and Bernhardt Design shall not be liable for other damages or losses.

Measurements and Weights

All measurements and weights are approximate and subject to change without notice.

Care and Cleaning

Finished wood surfaces should be cleaned with a soft damp cloth, wiping in the direction of the grain. Furniture should be buffed dry immediately with a soft cloth.

Wood Finishes

Bernhardt Design tables are available in finishes that are compatible with casegoods and seating finishes. However, finishes on tables may vary slightly from those on casegoods and seating due to the natural characteristics of the wood. No absolute match is implied or guaranteed.

Light Finishes

Bernhardt Design offers lighter finishes 836, 837, 840, 850, and 870 on certain veneers. Light finishes do not hide or mask the natural characteristics of the wood. Therefore, inherent natural characteristics of the wood will vary from piece to piece when using a light finish. Natural characteristics include the natural discolorations of the wood substance and color variations in glued up stock. These natural characteristics are not considered defects by Bernhardt Design, and therefore merchandise will not be replaced.

Special Finishes

Special finishes, made to customer specifications and subject to factory approval, may be available at a **5% net upcharge with a \$500 net minimum**. Additional leadtime may be required for special finish items.

Special finish orders will not be acknowledged until the special finish sample is approved in writing and received by Bernhardt Design Customer Service. Special finish orders are not subject to revision or cancellation after acknowledgment.

Warranty

Bernhardt Design will repair or replace, at its discretion, any table product or part thereof which fails as the result of defects in material and workmanship, under single shift use and normal care for five years. This warranty shall apply only to the original purchaser.

This warranty does not cover normal wear and tear, misuse or abuse of product, dramatic temperature changes, exposure to unusual conditions or damages incurred by contact with seating products, casegoods or other surfaces.

Natural color changes, variations or movements in lumber or veneer products, exposure to extreme temperature changes and direct sunlight may cause color changes and/or surface damage. These are circumstances beyond the control of Bernhardt Design and are not warranty issues.

Repair or replacement of discontinued product will be at the discretion of Bernhardt Design.

This warranty is the customer's exclusive remedy for product defect and does not apply to damage caused by a freight carrier, dealer, installer, user modification, attachments to a product, or any third party. Bernhardt Design has the exclusive right to make the final determination of product misuse or abuse.

Except as stated above, Bernhardt Design makes no express or implied warranties as to any product, and in particular, makes no warranty of merchantability or of fitness for any particular purpose.

Bernhardt Design shall not be liable for any consequential or incidental damages or for commercial loss arising from any product defect.

Operational Parts Warranty

Drawer glides, drawer boxes, drawer pulls, and lock mechanisms have a Life-Time Warranty for original purchaser. Power and communication components are warranted for one year.

Design and Patent Rights

All of the products shown in Bernhardt Design catalogs and described in Bernhardt Design price lists are, and remain, the property of Bernhardt Design, with the sole right reserved to manufacture and to distribute.

Some of the product designs shown are patented in the United States and will remain the property of Bernhardt Design. Any reproduction of the products constitutes an infringement of patented copyright laws and will be subject to prosecution.

Bernhardt Design reserves the right to make changes in dimensions, design and/or construction, price lists, or product literature without prior notice.

General Services Administration

Products available on the Bernhardt Design GSA - Federal Supply Service Contract GS-27F-010GA are noted in the overview section of the product descriptions.

For information regarding GSA pricing, please contact your local Bernhardt Design sales representative or call 828.759.6337.

Send all GSA payments to:
12197 Collections Center Drive
Chicago IL 60693

Preferred Carrier Guaranteed Freight Rates

Freight charges will be applied to orders as a separate line item based on the zones listed. Rates are based on zones with a minimum for each zone. All zones are located within the Continental United States.

The freight amount is calculated on the total merchandise net price, excluding any extra discounts beyond standard net pricing. Additional freight fuel surcharges may apply. Rates are based on deliveries made Monday through Friday, 8 am until 5 pm.

All orders are shipped by Bernhardt Design company trucks or preferred carriers specified by Bernhardt Design. Dealer warehouse information, including phone number and contact name, must be specified on the purchase order.

Direct site deliveries may be requested with an additional freight cost. Requests for direct site deliveries must be made 2 weeks prior to the scheduled ship week and meet the following criteria:


- Minimum of half truckload
- Delivery site accessible by a 53' trailer
- Complete delivery site address with contact name and on-site phone number
- Labor available for unloading

Deliveries that do not meet the criteria must be directed to a receiver warehouse. If a receiver warehouse is not available, the dealer may make arrangements with their own 3rd party carrier. If a 3rd party carrier is elected, a contact name, phone number and e-mail address is required.

Weekend direct site deliveries will incur a \$500 per trailer weekend delivery fee. Weekend is defined as between 5 pm Friday and 8 am Monday.

Zone	Minimum Charge	Freight Rate	Average Service Days
1	\$80	5%	2-4 Business Days
2	\$80	6%	2-4 Business Days
3	\$90	7%	3-5 Business Days
4	\$90	8%	5-7 Business Days
5	\$90	9%	6-9 Business Days
6	\$110	10%	6-9 Business Days
7	\$110	11%	7-10 Business Days
8	\$120	12%	8-12 Business Days
9	\$120	13%	8-12 Business Days
10	\$120	15%	10-15 Business Days

Note: Average Service Days excludes ship day.



Laminate Selections

A three character sku identifies each laminate selection as well as the standard finish offered. Individual components are priced with standard finish on standard laminate.

Additional colors may be available but are subject to upcharges and extended lead times. The laminate option is available on components where noted as an option in the material specification code.

All laminate tops will have a 3mm matching edge band.

PLL Solid Laminate

Standard Solid

- 671 Designer White, Wilsonart D354-60 Matte Finish
- 672 Frosty White, Wilsonart 1573-60 Matte Finish
- 673 Fashion Grey, Wilsonart D381-60 Matte Finish
- 674 North Sea, Wilsonart D90-60 Matte Finish
- 675 Black, Wilsonart 1595-60 Matte Finish

WGL Woodgrain Laminate

Standard Woodgrain

- 678 New Age Oak, Wilsonart 7938-16 Causal Rustic Finish
- 679 Brazilwood, Wilsonart 7946-38 Matte Finish
- 680 Walnut Heights, Wilsonart 7965K-12 Soft Grain Finish
- 681 Studio Teak, Wilsonart 7960-16 Causal Rustic Finish
- 682 Asian Night, Wilsonart 7949-16 Causal Rustic Finish
- 683 Portico Teak (Grey), Wilsonart 8210K-28 Gloss Line Finish

Glass Selections

GPW Back-Painted White Glass

GEW Etched, Back-Painted White Glass

Solid Surface Selection

SSF Solid Surface

Standard Finish

CGW Corian, Glacier White

Veneer Selections


A three character sku identifies each species as well as the standard finish offered. Individual components are priced with standard finish. Special finishes on veneers made to customer specifications are subject to factory approval and a 5% net upcharge with a \$500 net minimum.

Transparent stains and sealers are applied in multiple steps to enhance the beauty of the natural wood. A durable, baked-on, top-coat of conversion varnish or UV topcoat is applied to protect the product. It is recommended that felt, cork or fabric backed desk pads and accessories are used on worksurfaces to minimize wear.

When specifying light finishes such as 836, 837, 840, 850 or 870, the color and characteristic variances of both veneer and solid wood are apparent. Therefore, exact color matches are not possible.

CHY Cherry


Flat Cut



- Standard Finish
- | | |
|-----|-----|
| 805 | 840 |
| 834 | 841 |
| 836 | 861 |
| 839 | |

MPL Maple


Flat Cut



- Standard Finish
- | | |
|-----|--|
| 837 | |
| 850 | |

OAK Oak


Rift Cut



- Standard Finish
- | | |
|-----|-----|
| 805 | 860 |
| 836 | 861 |
| 837 | 865 |
| 839 | 866 |
| 840 | 870 |

WLT Walnut


Flat Cut



- Standard Finish
- | | |
|-----|-----|
| 823 | 861 |
| 839 | 866 |
| 841 | 870 |
| 860 | |

PLD Paldao

Quarter Cut



- Standard Finish
- | | |
|-----|-----|
| 823 | 861 |
| 839 | 866 |
| 841 | 870 |
| 860 | |

Circuit





The Circuit table features a polished stainless steel 4-star table base with adjustable levelers with 1/2" leveling range.

The upper section of the table base is designed with a 3" clearance for Mediatrac™ grommets, and the lower section has 3 3/4" clearance at the bottom to allow for a typical floor monument. The center column of the table is hollow passage. The Circuit base is appropriate for tops ranging from 42" to 60" round and 42" to 54" square.

Circuit is BIFMA Level 2, GREENGUARD and FSC® C012937 certified. Visit the product page at Bernhardttdesign.com for BIFMA Level 2 and GREENGUARD certifications. FSC® C012937 Chain of Custody certification is available by submitting a request in writing before or during the quoting process to be printed on acknowledgments and invoices. For complete information regarding the Level 2, GREENGUARD and FSC certifications, please contact bgreen@bernhardt.com.

Approved for GSA Contract GS-27F-010GA.




description	sku	w	d	h	weight	specifications	price
 circuit base polished stainless steel adjustable levelers	Z9Z	36	36	28 1/4			\$ 1423

specification codes example: CRS-Z9Z

series	sku
circuit	
C R S -	Z 9 Z

Circuit Tops



Detail view of the Circuit top with the base and the corded Mediatrac grommet.

Circuit tops are specifically constructed to accommodate the Circuit table base in sizes with round tops ranging from 48" to 60" and square tops from 42" to 54". The Circuit table is designed to accommodate the 8" double door, corded Mediatrac™ grommet. See Circuit Mediatrac™ section for sku options and location codes.

The Circuit bases may be used for customers own stone tops as long as the tops do not exceed 54" round. Stone tops should have a 3/4" plywood sub-top and the stone should be no thicker than 3/4".

Laminate

- PLL Solid Laminate
- WGL Woodgrain Laminate



FL 1/4" Flat




RB 1/4" Reverse Bevel

Veneer

- CHY Cherry
- WLT Walnut
- MPL Maple
- OAK Oak
- PLD Paldao



BL 1/4" Block



BV 1/4" Bevel



RB 1/4" Reverse Bevel




FL 1/4" Flat



SH 1/4" Shaped

Glass


- GPW Back-Painted White Glass
- GEW Etched, Back-Painted White Glass




PL 1/2" Polished Flat

Solid Surface

- SSF Corian, Glacier White



FL 1/4" Flat



RB 1/4" Reverse Bevel

specification codes example: QTS-SKU-BLCRM01

series	sku	edge	base	grommet location
top		BL 1/4" block BV 1/4" bevel FL 1/4" flat PF 1/2" polished flat RB 1/4" reverse bevel SH 1/4" shaped	CR circuit	000 none see page 10 for location codes
Q T S -	-		C R	

material + finish code example: WLT 839

material	finish
PLL solid laminate WGL woodgrain laminate CHY cherry MPL maple OAK oak WLT walnut PLD paldao GPW glass back-painted white GEW glass etched back-painted white SSF solid surface	see page 5



tops sold separately
order bases separately

sku | l | w | specifications

PLL solid laminate WGL woodgrain laminate		CHY cherry MPL maple OAK oak WLT walnut		PLD paldao		GPW back-painted white glass	GEW etched back-painted white glass	SSF solid surface	

square top






ABB	42	42	\$ 823	\$ 1070	\$ 1690	\$ 1978	\$ 1961	\$ 2248	\$ 3913	\$ 4774	\$ 3258	\$ 3812
ACC	48	48	1315	1710	1983	2321	2301	2638	4427	5401	3121	3652
ADD	54	54	1540	2002	2105	2463	2442	2800	5766	7035	4247	4969

arched square top




BBB	42	42	823	1070	1727	2021	2004	2297	4176	5095	3335	3902
BCC	48	48	1315	1710	1987	2325	2305	2643	4803	5860	3553	4158
BDD	54	54	1540	2002	2151	2517	2496	2861	5766	7035	4247	4969

radius square top



CBB	42	42	823	1070	1727	2021	2004	2297	3913	4774	3258	3812
CCC	48	48	1315	1710	1990	2329	2309	2647	4803	5860	3553	4158
CDD	54	54	1540	2002	2161	2529	2507	2875	5766	7035	4247	4969

round top



DBB	42	42	823	1070	1727	2021	2004	2297	3913	4774	3258	3812
DCC	48	48	1315	1710	1994	2333	2314	2653	4930	6015	3553	4158
DDD	54	54	1540	2002	2174	2544	2522	2892	6038	7367	4345	5084
DEE	60	60	1790	2327	2313	2707	2684	3077	7149	8722	5165	6044

specification codes example: QTS-SKU-BLCRM01

series	sku	edge	base	grommet location
top		BL 1 1/4" block BV 1 1/4" bevel FL 1 1/4" flat PF 1/2" polished flat RB 1 1/4" reverse bevel SH 1 1/4" shaped	CR circuit	000 none see page 10 for location codes
Q T S -	-		C R	

material + finish code example: WLT 839

material	finish
PLL solid laminate WGL woodgrain laminate CHY cherry MPL maple OAK oak WLT walnut PLD paldao GPW glass back-painted white GEW glass etched back-painted white SSF solid surface	see page 5

Mediatrac™ Power and Data



Mediatrac™ is a simplified system for routing power and data to the table worksurface while managing wires and auxiliary equipment. The power modules for Mediatrac™ mount in the grommet assembly allowing for ease of installation as well as maximum flexibility connected. Mediatrac™ grommets are sold and shipped separately and are easily installed from the top of the table.

Mediatrac™ grommets for Circuit are the corded version with 10 feet of 14 gauge SJT grounded cord. The Circuit grommet is an 8" x 8" double door unit in brushed aluminum, laminate, two options of back-painted glass, corian®, or wood veneer doors to match the finish and grain direction of the conference table top. A 3" brushed aluminum grommet is also available.

The double door modules have (4) 110V/15 amp grounded receptacles with the capability to accommodate (4) Extron AAP single plates, specified separately. All assemblies are CSA approved and certified for use in all US cities.

Mediatrac™ has 8 different categories of data connectors totaling 16 different AAP plates. For every location of a power module, there are locations for two single AAP plates. A blank plate will cover both slots when shipped from the factory. Extron AAP's must be specified separately. If an AAP is specified, it is the responsibility of the user's technical staff to field install.

Note: If a single AAP is all that is required, then specify a VGG blank single cover plate to cover the second available slot.

For special applications, more than 100+ AAP plates are available directly through Extron: <http://www.extron.com/company/article.aspx?id=aapmaap>



Illustration showing Mediatrac™ grommet in Circuit base






Illustration showing Mediatrac™ grommet for Circuit base



Mediatrac™ grommet detail - power


Mediatrac1™ Grommet Configurations0



Mediatrac grommet is only available in the 8" x 8" double doors for the Circuit base and is designed for the center of the table only. A 3" brushed aluminum grommet is also available.

Mediatrac1™ grommets are available with either laminate, brushed aluminum, two options of back-painted glass, solid surface or wood veneer doors. When wood veneer doors are specified, the grain of grommet doors will run with the grain direction of the table top.


48" - 60" Round Tables



MO1

MO3


42" - 54" Square Tables




MO1

MO3

Mediatrac1™ Glass Grommet Configurations for Circuit



54" - 60" Square and Round








MO1

MO1

MO3

MO3

Mediatrac1™ grommets are available with two options of back-painted glass doors. Glass tops require specific grommets that are specified for use with glass tops. Specify grommet locations when ordering tops. Specify grommets separately.


description	sku	w	d	h	weight	specifications	price
<p>8" double door mediatrac1™ grommet</p> <p>AAP modules specified separately</p> 							
 <p>aluminum 4 grounded outlets, 1 exit plug accepts 4 Extron single space AAP's brushed aluminum frame and lids specify grommet location when ordering top</p>	VAY	8	8	3½		120" corded; 2 doors	\$ 1100
	HAY	8½	8	3½		for glass tops only; 120" corded; 2 doors	1125
 <p>laminate/veneer 4 grounded outlets, 1 exit plug accepts 4 Extron single space AAP's brushed aluminum frame with laminate or veneer lid specify grommet location when ordering top specify laminate or veneer lid material code and finish code</p>	VWY	8	8	3½		120" corded; 2 doors	1275
	HGY	8½	8	3½		for glass tops only; 120" corded; 2 doors	1275
 <p>glass 4 grounded outlets, 1 exit plug accepts 4 Extron single space AAP's brushed aluminum frame with glass lids specify grommet location when ordering top specify lid material code GPW or GEW</p>	VWY	8	8	3½		120" corded; 2 doors	1275
	HGY	8½	8	3½		for glass tops only; 120" corded; 2 doors	1275
 <p>solid surface 2 grounded outlets, 1 exit plug accepts 2 Extron single space AAP's brushed aluminum frame and solid surface lid specify grommet location when ordering top specify lid material code SSF and finish code CWG</p>	VWY	8	8	3½		120" corded; 2 doors	1275
	HGY	8½	8	3½		for glass tops only; 120" corded; 2 doors	1275

specification codes example: MGS-SKU

series	sku
M G S -	

material + finish code example: WLT 839

grommet lid	finish
PLL solid laminate	see page 6
WGL woodgrain laminate	
CHY cherry	
MPL maple	
OAK oak	
WLT walnut	
PLD paldao	
GPW glass back-painted white	
GEW glass etched back-painted white	
SSF solid surface	





description	sku	w	d	h	weight	specifications	price
 <p>communication grommet</p> <p>die cast zinc brushed or polished aluminum finish fits 2½" opening specify hardware code BA or PA</p>	GNC	3	3	7/8		specify with table top order	72
	GMT	3	3	7/8		field installed	56

specification codes example: ACS-SKU

series	sku
accessories	
A C S -	







finish code example: BA

3" grommet
BA brushed aluminum PA polished aluminum

	description	sku	w	d	h	weight	specifications	price
	phone/data module Extron® AAP one RJ-11 phone barrel female to female single space insert	VGV	3½	-	5⁄8			\$ 151
	phone/data module Extron® AAP one RJ-45 HCI CAT 5e female to female barrel single space insert	VGI	3½	-	5⁄8			151
	phone/data module Extron® AAP one RJ-45 female to punch down block leviton CAT5 data single space insert	VGJ	3½	-	5⁄8			174
	phone/data module Extron® AAP two RJ-45 pass-through barrels CAT 5e single space insert	VGD	3½	-	5⁄8			219
	phone/data module Extron® AAP two RJ-45 pass-through barrels CAT 5e double space insert	VGK	3½	-	13⁄8			219
	phone/data module Extron® AAP one RJ-45 female to punch down block leviton CAT6 data single space insert	VGK	3½	-	5⁄8			174
	phone/data module Extron® AAP two RJ-45 female to punch down block leviton CAT6 data single space insert	VGP	3½	-	5⁄8			242

specification codes example: ACS-SKU



	description	sku	w	d	h	weight	specifications	price
	phone/data module Extron® AAP two RJ-45 female to punch down block AMP CAT6 data single space insert	VGL	3½	-	5⁄8			\$ 242
	phone/data module Extron® AAP two RJ-45 female to punch down block seimon CAT6 data single space insert	VGM	3½	-	5⁄8			242
	phone/data module Extron® AAP two RJ-45 female to punch down block ortronics CAT6 data single space insert	VGN	3½	-	5⁄8			242
	phone/data module Extron® AAP two RJ-45 female to punch down block higher than CAT6 data type connectors systemax MGS500 backward compatible double space insert	VGQ	3½	-	1¾			332
	computer/audio/video module Extron® AAP 15HD, F-F, 15 pin HD female to female 3.5mm stereo mini jack to solder tabs with silk screen "COMPUTER" and "AUDIO" single space insert	VGC	3½	-	5⁄8			242
	computer/audio/video module Extron® Interface AAP 15HD, F-F, 15 pin VGA female to female 3.5mm stereo mini jack female to female silk screen, "COMPUTER" and "AUDIO" single space insert	VGE	3½	-	5⁄8			319







specification codes example: ACS-SKU

series	sku
accessories	
A C S -	

	description	sku	w	d	h	weight	specifications	price
	computer/audio/video module Extron® AAP 15HD, one DVI-I female to female barrel, single space insert single space insert	VG2	3½	-	1⅝			\$ 242
	computer/audio/video module Extron® AAP HDMI female to HDMI female on 10" pigtail single space insert	VG3	3½	-	⅝			242
	computer/audio/video module Extron® AAP 15-pin HD female to 5 BNC on 8"- 12" staggered length pigtails 3.5mm stereo mini jack barrel single space insert	VG4	3½	-	⅝			355
	control/computer module Extron® AAP two USB A female to female barrels single space insert	VGR	3½	-	⅝			242
	computer/audio/video module Extron® three RCA with black powdercoat finish female to female barrels single space insert	VGT	3½	-	⅝			196
	charging module Extron® AAP Power Plate charging module 2.5 VCD USB power outlets 2.1 A / 10.5 watts of power for charging mobile devices single space insert	VGU	3½	-	⅝			474

specification codes example: ACS-SKU

series	sku
accessories	
A C S -	

description	sku	w	d	h	weight	specifications	price
 <p>computer/audio/video module VG5 3½ - 1⅝</p> <p>Extron® SuperPlate 100 - HDMI / VGA / Stereo Audio / USB HDMI: female to female, 10" (25 cm) pigtail Computer Video: 15-pin female to female, 6" (15 cm) pigtail Stereo/Audio: 3.5 mm mini jack to captive screw, 10" (25 cm) pigtail USB A: female to female, 10" (25 cm) pigtail double space insert</p>							\$ 387
 <p>computer/audio/video module VG6 3½ - 1⅝</p> <p>Extron® SuperPlate 110 - HDMI / DisplayPort / Stereo Audio / USB HDMI: female to female, 10" (25 cm) pigtail DisplayPort: female to female, 10" (25 cm) pigtail Stereo/Audio: 3.5 mm mini jack to captive screw, 10" (25 cm) pigtail USB A: female to female, 10" (25 cm) pigtail double space insert</p>							387
 <p>computer/audio/video module VG7 3½ - 1⅝</p> <p>Extron® SuperPlate 120 - HDMI / DisplayPort / VGA / Stereo Audio HDMI: female to female, 10" (25 cm) pigtail DisplayPort: female to female, 10" (25 cm) pigtail Computer Video: 15-pin female to female, 6" (15 cm) pigtail Stereo/Audio: 3.5 mm mini jack to captive screw, 10" (25 cm) pigtail double space insert</p>							387
 <p>computer/audio/video module VG8 3½ - 1⅝</p> <p>Extron® SuperPlate 130 - (2) HDMI / VGA / Stereo Audio HDMI: two (2) female to female, 10" (25 cm) pigtail Computer Video: 15-pin female to female, 6" (15 cm) pigtail Stereo/Audio: 3.5 mm mini jack to captive screw, 10" (25 cm) pigtail double space insert</p>							387
 <p>blank plate VGG 3½ - ⅝</p> <p>Extron® AAP blank plate with black powdercoat finish single space insert</p>							100
 <p>cable pass-through module VGY 3½ - 1⅝</p> <p>Extron® AAP cable pass-through with black powdercoat finish sold and ordered as 1 set with left and right specify for use with C-VMW cable sling</p>							291

specification codes example: ACS-SKU

series	sku
accessories	
A C S -	