

hug
price list

march 2018

Sales and Service Policy

Guidelines detailing the operating policies and procedures of Bernhardt Design are provided in the Sales and Service Policy available online at <http://www.bernhardtdesign.com/sales-and-service-policy>.

Prices and Specifications

Prices and specifications are subject to change without notice. All prices quoted will be FOB our factories. If applicable, sales tax will be based on ship-to destination.

Bernhardt Design reserves the right to make changes in dimensions, construction, price lists, or product literature without prior notice.

Order Entry

All orders are subject to final acceptance by Bernhardt Design in Lenoir, NC. Receipt of our acknowledgment indicates acceptance of your order subject to the terms set forth on the acknowledgment.

Bernhardt Design attempts to clarify all purchase orders. However, in the event the price list number and description on the purchase order differ, the price list number will prevail.

Changes / Cancellation

All orders in production are considered firm orders and are not subject to changes or cancellation.

Custom Design

Bernhardt Design may alter products to meet specific needs. Contact your local sales representative when a custom design is needed. Custom designs require minimum quantities, additional lead time, and upcharges.

A custom job number, available from your local sales representative, must be submitted with purchase orders. Orders combining custom design with standard product cannot be scheduled for production until custom items are approved.

Custom design orders are not subject to revision or cancellation after acknowledgment

Coverings

The Hug surround may be upholstered using Bernhardt Textiles fabrics and/or leather alternatives that have been approved for application. Consult your Bernhardt Design sales representative for a listing of the pre-approved Bernhardt Textiles fabrics and leather alternatives.

Customer's Own Material / Leather Alternative (COM)

Approval Procedures

Due to aesthetic reasons or application restraints, Bernhardt Design must preapprove COM fabrics for application on certain Bernhardt Design products. Leather is not approved for application to the Hug surround. However, leather alternatives such as vinyl or faux leathers may be used.

Fabric with a content exceeding a combined total of 50% cotton, linen, rayon, and/or nylon is not suitable for application due to potential sagging and puckering.

Preapproval Procedure

Please submit a 12" X 12" sample prior to the actual shipment of COM to Bernhardt Design. Ship COM samples to the following address and tag as noted:

Shipping Address:

**Bernhardt Design
1839 Morganton Blvd. SW
Lenoir, NC 28645
Attn: Customer Service**

Tag Sample:

Along with the COM sample, the product number, quantity of products, and contact information must be specified for approval purposes.

Bernhardt Design reserves the right to reject any covering which in our opinion is unsuitable for upholstery purposes. However, Bernhardt Design shall in no instance be held responsible for tailoring variances that result from the application of a particular textile or leather alternative to the Hug frame.

COM Yardage Specifications

All yardage requirements shown in the price list are based on 54" plain material. Fabrics with a vertical repeat that must be matched, or that are less than 54" wide, require more yardage. The chart below should be used for determining additional COM yardage requirements.

Please add the indicated percentage to the yardage shown with the style number in the price list. This guide will accurately cover most COM orders, but there will be instances due to unusual repeats or designs that additional yardages may be required. Bernhardt Design will not be held responsible for the purchase of any additional COM that may be required.

When specifying a COM fabric that is more than 54" wide and includes a vertical and horizontal repeat, contact the Bernhardt Design office for additional yardage requirements. Bernhardt Design will not be held responsible for the purchase of any additional COM that may be required.

All COM will be cut and applied at the discretion of Bernhardt Design unless special cutting instructions are included in writing with the purchase order. Fabric patterns must be identified as horizontal or vertical application.

Bernhardt Design will not be held responsible for defective fabrics, as all COM's are accepted as first quality goods.

Fabric Width	Fabric Yardage Vertical Repeat				
	Plain Fabric	2"-10" Repeat	11"-20" Repeat	21"-25" Repeat	26"-30" Repeat
54"	0%	10%	15%	20%	25%
51-53"	15%	20%	25%	30%	35%
48-50"	30%	35%	40%	45%	50%
45-47"	45%	50%	55%	60%	65%

Contrasting Fabric and Welt Upcharges

When specifying more than one textile or leather alternative, such as contrasting fabrics, welts, and contrasting welts, additional yardage may be required due to fabric yield.

Bernhardt Design must approve contrasting fabric and welt applications. If approved, the following upcharges apply:

Hug 48" \$110.00 Net Each
 Hug 84" \$120.00 Net Each
 Hug 120" \$150.00 Net Each

COM Tagging

All COM must be properly tagged on the receiving documents in order for Bernhardt Design to match your fabric with your order. **Bernhardt Design will not be responsible for any delays caused by fabric or leather alternatives not correctly marked.**

Dealer: _____
 Tag For: _____
 Product No.: _____
 P.O. No.: _____
 Ack. No.: _____

COM Shipping Address:

Bernhardt Design
Plant # 7T Door #10
1402 Morganton Blvd. SW
Lenoir, NC 28645

COM Disclaimer

Bernhardt Design is not responsible for any unclaimed COM 30 days after shipment of Bernhardt Design acknowledgment. It is the responsibility of the dealer to request the return of excess COM on the initial purchase order.

Flammability

It is the responsibility of the dealer to advise Bernhardt Design of local fire code requirements for final shipping destinations at the time of order placement.

Bernhardt Design certifies that, when upholstered with our textiles, articles of furniture meet or exceed the requirements of the BIFMA First Generation Voluntary Upholstered Furniture Flammability Standard for Business and Institutional Furniture, the National Fire Protection Association Standard NFPA 260A-86 for cigarette ignition resistance of components of upholstered furniture, and the construction criteria of the Upholstered Furniture Action Council (UFAC). Substitutions of customer's own material for Bernhardt Textiles are accepted at customer's risk. Contact your Bernhardt Design sales representative for other flammability requirements and upcharges.

Bernhardt Design will not be responsible for any changes in color or appearance of fabrics with special treatments. Bernhardt Design will not be held responsible for replacement of goods damaged during treatment process.

Orders Shipping to California

Products upholstered in Bernhardt Textiles and shipping to California comply with CAL TB 117-2013.

Shipping

Bernhardt Design will ship in accordance with customer instructions whenever possible. If not specified, Bernhardt Design will exercise its best judgement in selecting a carrier. Orders in production will be shipped as scheduled and cannot be held. High quality cartoning which meets trucking and railroad specifications is standard at no extra charge.

Freight Damage and Claims

Bernhardt Design is not liable for damages that occur during transit or storage. The carrier assumes all responsibility upon acceptance of product. It is the customer's responsibility to inspect all products upon receipt and file any claims with the carrier. No product should be refused.

If products are received damaged, a written exception should be made on the bill of lading and an immediate inspection be requested of the carrier. Concealed damage must be reported to the carrier within 10 business days from date of delivery. Failure to make claims shall constitute acceptance of the products and waiver any claims of defects, errors or shortages.

In the event delivery is made on a Bernhardt Design truck, the products should be carefully inspected for transit damage. If contents are damaged, the driver should be notified to call his dispatcher for immediate disposition. Concealed damage must be reported within 10 business days from date of delivery and product/packaging held for inspection by a Bernhardt Design representative.

Returns

No merchandise may be returned to Bernhardt Design without written consent in the form of a Return Authorization from our Quality Assurance Department, stating why the item is being returned and how the item will be shipped.

Unauthorized returns will be automatically refused by our receiving department as well as returns not in accordance with Bernhardt Design shipping instructions. Liability for defective merchandise shall be limited to the replacement or repair of that merchandise, and Bernhardt Design shall not be liable for other damages or losses.

Measurements and Weights

All measurements and weights are approximate and subject to change without notice.

Finishes

Transparent stains and sealers are applied in multiple steps to enhance the beauty of the natural wood. A durable, baked-on, top-coat of conversion varnish or UV topcoat is applied to protect the product. It is recommended that felt, cork, or fabric backed desk pads and accessories are used on worksurfaces to minimize wear.

Light Finishes

Bernhardt Design offers lighter finishes 836, 837, 840, 850 and 870 on

certain veneers. Light finishes do not hide or mask the natural characteristics of the wood. Therefore, inherent natural characteristics of the wood will vary from piece to piece when using a light finish. Natural characteristics include the natural discolorations of the wood substance and color variations in glued up stock. These natural characteristics are not considered defects by Bernhardt Design, and therefore merchandise will not be replaced.

Special Finishes

Special finishes, made to customer specifications and subject to factory approval, may be available at a 5% net upcharge with a \$500 net minimum.

Additional lead time may be required for special finish items. Special finish orders will not be acknowledged until the special finish sample is approved in writing and received by Bernhardt Design Customer Service.

Special finish orders are not subject to revision or cancellation after acknowledgment.

Care and Cleaning

Finished wood surfaces should be cleaned with a soft damp cloth, wiping in the direction of the grain. Dry with a soft cloth dry immediately, wiping in the grain direction. Do not use waxes or furniture polish as these will cause an unsightly film build-up.

Installation and Maintenance

Multipurpose and conference tables are equipped with leveling devices. Local floor conditions vary, and it is always necessary to properly adjust leveling devices. Proper leveling is essential to the alignment and function of doors and drawers. Improperly leveled units result in misaligned doors and drawers and may impair locking mechanisms or other functional hardware.

After the initial installation, it may be necessary to readjust and align the units to compensate for settling. This should be expected as a matter of routine maintenance and follow-up to assure proper case function.

Proper installation of Bernhardt Design products is the responsibility of the dealer. Improperly installed units can result in permanent damage to components. Damage due to improperly installed furniture is not covered under product warranty.

Warranty

Bernhardt Design will repair or replace, at its discretion, any multipurpose or conference product or part thereof which fails as the result of defects in material and workmanship, under single shift use and normal care for five years. Exception: Power or communications components are warranted for one year. This warranty shall apply only to the original purchaser.

This warranty does not cover normal wear and tear, misuse or abuse of product, dramatic temperature changes, exposure to unusual conditions or damages incurred by contact with seating products, casegoods, or other surfaces.

Natural color changes, variations or movements in lumber or veneer products, exposure to extreme temperature changes and direct sunlight may cause color changes and/or surface damage. These are circumstances beyond the control of Bernhardt Design and are not warranty issues.

Repair or replacement of discontinued product will be at the discretion of Bernhardt Design.

This warranty is the customer's exclusive remedy for product defect and does not apply to damage caused by a freight carrier, dealer, installer, user modification, attachments to a product, or any third party. Bernhardt Design has the exclusive right to make the final determination of product misuse or abuse.

This warranty excludes fabrics, leathers alternatives, and any other textiles for wearing quality, color fastness, shrinkage, wrinkling, stretching or dye lot match.

Except as stated above, Bernhardt Design makes no express or implied warranties as to any product, and in particular, makes no warranty of merchantability or of fitness for any particular purpose.

Bernhardt Design shall not be liable for any consequential or incidental damages or for commercial loss arising from any product defect.

The Bernhardt Design customer is the dealer. All complaints must be resolved through the dealer from which the furniture was purchased. To obtain warranty service the dealer must supply dated proof of purchase.

This warranty gives you specific legal rights. You may also have other rights which vary from state to state. Some states do not allow limitations on how long an implied warranty will last or the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply.

Design and Patent Rights

All of the products shown in Bernhardt Design marketing materials and described in Bernhardt Design price lists are, and remain, the property of Bernhardt Design, with the sole right reserved to manufacture and to distribute.

Some of the product designs shown are patented in the United States and will remain the property of Bernhardt Design. Any reproduction of the products constitutes an infringement of patented copyright laws and will be subject to prosecution.

Bernhardt Design reserves the right to make changes in dimensions, design and/or construction, price lists, or product literature without prior notice.

Preferred Carrier Guaranteed Freight Rates

Freight charges will be applied to orders as a separate line item based on the zones listed. Rates are based on zones with a minimum for each zone. All zones are located within the Continental United States.

The freight amount is calculated on the total merchandise net price, excluding any extra discounts beyond standard net pricing. Additional freight fuel surcharges may apply. Rates are based on deliveries made Monday through Friday, 8 am until 5 pm.

All orders are shipped by Bernhardt Design company trucks or preferred carriers specified by Bernhardt Design. Dealer warehouse information, including phone number and contact name, must be specified on the purchase order.

Direct site deliveries may be requested with an additional freight cost. Requests for direct site deliveries must be made 2 weeks prior to the scheduled ship week and meet the following criteria:


- Minimum of half truckload
- Delivery site accessible by a 53' trailer
- Complete delivery site address with contact name and on-site phone number
- Labor available for unloading

Deliveries that do not meet the criteria must be directed to a receiver warehouse. If a receiver warehouse is not available, the dealer may make arrangements with their own 3rd party carrier. If a 3rd party carrier is elected, a contact name, phone number and e-mail address is required.

Weekend direct site deliveries will incur a \$500 per trailer weekend delivery fee. Weekend is defined as between 5 pm Friday and 8 am Monday.

Zone	minimize Charge	Freight Rate	Average Service Days
1	\$80	5%	2-4 Business Days
2	\$80	6%	2-4 Business Days
3	\$90	7%	3-5 Business Days
4	\$90	8%	5-7 Business Days
5	\$90	9%	6-9 Business Days
6	\$110	10%	6-9 Business Days
7	\$110	11%	7-10 Business Days
8	\$120	12%	8-12 Business Days
9	\$120	13%	8-12 Business Days
10	\$120	15%	10-15 Business Days

Note: Average Service Days excludes ship day.



Hug Concept and Assembly Overview




The Hug desk features a range of worksurface heights including standard, counter, and bar height. Desks are offered in widths of 48", 84", and 120" with surround heights in 34" or 49". Desks 120" long will have two upholstered mid-support panels located under the worksurface.

A recessed powdercoat metal shelf is located between the worksurface and the surround. Shelves are standard with a pass thru to allow the passage of cords from the worksurface. Hug is available with or without power module(s) in the shelf. Note additional costs for power module(s).

Desks are shipped fully assembled. When specifying Hug, verify that assembled sku is within the size requirement for delivery including elevators, hall intersections, stairwells, etc.

Name is BIFMA Level 2, GREENGUARD. Visit the product page at BernhardtDesign.com for BIFMA Level 2 and GREENGUARD certifications. For complete information regarding the Level 2, GREENGUARD, please contact bgreen@bernhardt.com.



Worksurface Selection


The worksurface is available in three heights with oak veneer, walnut veneer, white laminate, or glacier white corian. Finish codes must be specified for oak and walnut veneer.

Oak Veneer

Oak - Rift Cut

Standard Finish

- 805 860
- 836 861
- 837 865
- 839 866
- 840 870




Walnut Veneer

Walnut - Flat Cut

Standard Finish

- 823 861
- 839 866
- 841 870
- 860



Laminate

Designer White Laminate

Standard Finish

- 671 Designer White Wilsonart D354-60

Corian

White Corian®

Standard Finish

- Glacier White

specification codes

series

hug

sku

veneer

- laminate - 671 designer white
- oak
- walnut
- corian® - glacier white

hardware

- black
- white


power

- none
- corded
- hardwired

finish

Upholstered Low Wall Surround

Standard Height Worksurface



H1L 48" width




H5L 84" width



H7L 120" width

Upholstered Tall Wall Surround

Standard Height Worksurface




H1T 48" width



H5T 84" width

Counter Height Worksurface



H1C 48" width



H5C 84" width

Bar Height Worksurface



H1B 48" width



H5B 84" width

Power Configurations for Hug Desks



The power module brings power and USB to the worksurface. Installed in a recessed shelf located between the surround panel and the worksurface, the power module includes one grounded outlet with a USB duplex for charging tablets or other USB friendly devices. The power module is UL approved with spill-proof technology and may be specified corded with a 15 amp 10' cord or a hardwire version. Specify power code X for Hug desks without power; C for corded; and H for hardwire version.

Wire managers are wrapped with fabric specified for the inside of the surround and are installed on every desk. Single managers are installed on the user inside right; double managers at each end. All desks have pass thru(s) in the shelf for additional access to power sources.



Upholstered Wire Manager



Power Module

Standard Configurations



48" w Desk with Single Pass Thru
1 Wire Manager




84" w Desk with Double Pass Thru
2 Wire Managers



120" w Desk with Triple Pass Thru
2 Wire Managers

Power Configurations



48" w Desk with Single Pass Thru
1 Power Module, 1 Wire Manager




84" w Desk with Double Pass Thru
2 Power Modules, 2 Wire Managers



120" w Desk with Triple Pass Thru
3 Power Modules, 2 Wire Managers
1 Four Outlet Plug Strip

hug H1L



Upholstered panel surround with oak, walnut, white laminate or white corian worksurface. **Specify finish for oak or walnut veneer.**

All **COM/COL** fabric and leather alternatives must be preapproved by Bernhardt Design prior to application - see terms and conditions for COM/COL approval procedures. Fabric may be specified railroaded for seamless application. Standard with welt around perimeter of surround. Leather is not approved for use on Hug. Fabric with a content exceeding a combined total of 50% cotton, linen, rayon and/or nylon is not suitable for application due to sagging and puckering.

Hardware finish selection includes front rail, metal shelf, feet and optional power module(s); specify 3 for matte black, W for matte white.

Pass thru for wire management is standard in metal shelf. Optional power module(s) with outlet and two usb jacks. Specify C for 10' cord with grounded plug; H for hardwire whip— **note additional cost for each power module.**

Shipped assembled; **verify assembled sku is within size requirements for delivery** (elevators, hall intersections, stairwells, etc).

When using a combination of fabrics or leather alternatives, the following yardage must be used and a \$110 net upcharge per unit applies.

- A) One fabric or leather alternative for outside
yardage: 3.65 yds.
- B) One fabric or leather alternative for inside and welt
yardage: 3.65 yds.

Please specify the fabric or leather alternative application by designating the appropriate letter on the purchase order.

Worksurface Height	L	D	H	Fabric	Leather	Weight	Cubes/Qty
29"	48"	30"	34"	7.25 yds.	n/a	187 lbs.	63.54'/1
737 mm	1219 mm	762 mm	864 mm	6.6 m	n/a	84.8 kg	1.80 cu.

laminate worksurface

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2421	-	3001	3082	3138	3171	3211	3259	3308	3380	3501	3614	3960

Specify veneer code F for designer white laminate worksurface. **Add \$250 when specifying power module.**

oak worksurface

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2833	-	3413	3494	3550	3583	3623	3671	3720	3792	3913	4026	4372

Specify veneer code C for oak worksurface. Specify finish code. **Add \$250 when specifying power module.**

walnut worksurface

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2936	-	3516	3597	3653	3686	3726	3774	3823	3895	4016	4129	4475

Specify veneer code 9 for walnut worksurface. Specify finish code. **Add \$250 when specifying power module.**

corian worksurface

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3296	-	3876	3957	4013	4046	4086	4134	4183	4255	4376	4489	4835

Specify veneer code 8 for corian worksurface. **Add \$250 when specifying power module.**

specification codes

series
 hug

sku

 H | 1 | L


veneer
 F laminate - 671 designer white
 C oak
 9 walnut
 8 corian® - glacier white

hardware
 3 black
 W white

power
 X none
 C corded
 H hardwired
 power module \$250

finish

hug H5L



Upholstered panel surround with oak, walnut, white laminate or white corian worksurface. **Specify finish for oak or walnut veneer.**

All **COM/COL** fabric and leather alternatives must be preapproved by Bernhardt Design prior to application - see terms and conditions for COM/COL approval procedures. Fabric may be specified railroaded for seamless application. Standard with welt around perimeter of surround. Leather is not approved for use on Hug. Fabric with a content exceeding a combined total of 50% cotton, linen, rayon and/or nylon is not suitable for application due to sagging and puckering.

Hardware finish selection includes front rail, metal shelf, feet and optional power module(s); specify 3 for matte black, W for matte white.

Pass thru for wire management is standard in metal shelf. Optional power module(s) with outlet and two usb jacks. Specify C for 10' cord with grounded plug; H for hardwire whip— **note additional cost for each power module.**

Shipped assembled; **verify assembled sku is within size requirements for delivery** (elevators, hall intersections, stairwells, etc).

When using a combination of fabrics or leather alternatives, the following yardage must be used and a \$120 net upcharge per unit applies.

- A) One fabric or leather alternative for outside yardage: 4.65 yds.
- B) One fabric or leather alternative for inside and welt yardage: 4.65 yds.

Please specify the fabric or leather alternative application by designating the appropriate letter on the purchase order.

Worksurface Height	L	D	H	Fabric	Leather	Weight	Cubes/Qty
29"	84"	30"	34"	9.25 yds.	n/a	295 lbs.	101.04' / 1
470 mm	2134 mm	762 mm	864 mm	8.5 m	n/a	133.8 kg	2.90 cu.

laminate worksurface

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3605	-	4345	4448	4520	4561	4613	4674	4736	4829	4983	5127	5569

Specify veneer code F for designer white laminate worksurface. **Add \$500 when specifying power.**

oak worksurface

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4120	-	4860	4963	5035	5076	5128	5189	5251	5344	5498	5642	6084

Specify veneer code C for oak worksurface. Specify finish code. **Add \$500 when specifying power.**

walnut worksurface

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4275	-	5015	5118	5190	5231	5283	5344	5406	5499	5653	5797	6239

Specify veneer code 9 for walnut worksurface. Specify finish code. **Add \$500 when specifying power.**

corian worksurface

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5150	-	5890	5993	6065	6106	6158	6219	6281	6374	6528	6672	7114

Specify veneer code 8 for corian worksurface. **Add \$500 when specifying power.**

specification codes

series
 hug

sku

 H | 5 | L


veneer
 F laminate - 671 designer white
 C oak
 9 walnut
 8 corian® - glacier white

hardware
 3 black
 W white

power
 X none
 C corded
 H hardwired
 power module \$500

finish

hug H7L



Upholstered panel surround with oak, walnut, white laminate or white corian worksurface. **Specify finish for oak or walnut veneer.**

All **COM/COL** fabric and leather alternatives must be preapproved by Bernhardt Design prior to application - see terms and conditions for COM/COL approval procedures. Fabric may be specified railroaded for seamless application. Standard with welt around perimeter of surround. Leather is not approved for use on Hug. Fabric with a content exceeding a combined total of 50% cotton, linen, rayon and/or nylon is not suitable for application due to sagging and puckering.

Hardware finish selection includes front rail, metal shelf, feet and optional power module(s); specify 3 for matte black, W for matte white.

Pass thru for wire management is standard in metal shelf. Optional power module(s) with outlet and two usb jacks. Specify C for 10' cord with grounded plug; H for hardwire whip— **note additional cost for each power module.**

Shipped assembled; **verify assembled sku is within size requirements for delivery** (elevators, hall intersections, stairwells, etc).

When using a combination of fabrics or leather alternatives, the following yardage must be used and a \$150 net upcharge per unit applies.

- A) One fabric or leather alternative for outside
yardage: 6.95 yds.
- B) One fabric or leather alternative for inside and welt
yardage: 6.95 yds.

Please specify the fabric or leather alternative application by designating the appropriate letter on the purchase order.

Worksurface Height	L	D	H	Fabric	Leather	Weight	Cubes/Qty
29"	120"	30"	34"	13.75 yds.	n/a	442 lbs.	138.54' / 1
737 mm	3048 mm	762 mm	864 mm	12.6 m	n/a	200.0 kg	4.0 cu.

laminate worksurface

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4635	-	5735	5888	5995	6056	6133	6224	6316	6454	6683	6897	7554

Specify veneer code F for designer white laminate worksurface. **Add \$750 when specifying power.**

oak worksurface

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5408	-	6508	6661	6768	6829	6906	6997	7089	7227	7456	7670	8327

Specify veneer code C for oak worksurface. Specify finish code. **Add \$750 when specifying power.**

walnut worksurface

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5614	-	6714	6867	6974	7035	7112	7203	7295	7433	7662	7876	8533

Specify veneer code 9 for walnut worksurface. Specify finish code. **Add \$750 when specifying power.**

corian worksurface

COM	COL	1	2	3	4	5	6	7	8	9	10	11
6592	-	7692	7845	7952	8013	8090	8181	8273	8411	8640	8854	9511

Specify veneer code 8 for corian worksurface. **Add \$750 when specifying power.**

specification codes

series
 hug

sku

 H | 7 | L |


veneer
 laminate - 671 designer white
 oak
 9 walnut
 8 corian® - glacier white

hardware
 3 black
 W white

power
 X none
 C corded
 H hardwired
 power module \$750

finish

hug H1T



Upholstered panel surround with oak, walnut, white laminate or white corian worksurface. **Specify finish for oak or walnut veneer.**

All **COM/COL** fabric and leather alternatives must be preapproved by Bernhardt Design prior to application - see terms and conditions for COM/COL approval procedures. Fabric may be specified railroaded for seamless application. Standard with welt around perimeter of surround. Leather is not approved for use on Hug. Fabric with a content exceeding a combined total of 50% cotton, linen, rayon and/or nylon is not suitable for application due to sagging and puckering.

Hardware finish selection includes front rail, metal shelf, feet and optional power module(s); specify 3 for matte black, W for matte white.

Pass thru for wire management is standard in metal shelf. Optional power module(s) with outlet and two usb jacks. Specify C for 10' cord with grounded plug; H for hardwire whip— **note additional cost for each power module.**

Shipped assembled; **verify assembled sku is within size requirements for delivery** (elevators, hall intersections, stairwells, etc).

When using a combination of fabrics or leather alternatives, the following yardage must be used and a \$110 net upcharge per unit applies.

- A) One fabric or leather alternative for outside
yardage: 4.95 yds.
- B) One fabric or leather alternative for inside and welt
yardage: 4.95 yds.

Please specify the fabric or leather alternative application by designating the appropriate letter on the purchase order.

Worksurface Height	L	D	H	Fabric	Leather	Weight	Cubes/Qty
29"	48"	30"	49"	9.75 yds.	n/a	213 lbs.	84.72' / 1
737 mm	1219 mm	762 mm	1245 mm	8.9 m	n/a	96.6 kg	2.40 cu.

laminate worksurface

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2678	-	3458	3567	3643	3686	3740	3805	3870	3968	4130	4282	4748

Specify veneer code F for designer white laminate worksurface. **Add \$250 when specifying power.**

oak worksurface

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3348	-	4128	4237	4313	4356	4410	4475	4540	4638	4800	4952	5418

Specify veneer code C for oak worksurface. Specify finish code. **Add \$250 when specifying power.**

walnut worksurface

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3554	-	4334	4443	4519	4562	4616	4681	4746	4844	5006	5158	5624

Specify veneer code 9 for walnut worksurface. Specify finish code. **Add \$250 when specifying power.**

corian worksurface

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3657	-	4437	4546	4622	4665	4719	4784	4849	4947	5109	5261	5727

Specify veneer code 8 for corian worksurface. **Add \$250 when specifying power.**

specification codes

series
 hug

sku

 H | 1 | T



veneer
 F laminate - 671 designer white
 C oak
 9 walnut
 8 corian® - glacier white

hardware
 3 black
 W white

power
 X none
 C corded
 H hardwired
 power module \$250

finish

hug H5T



Upholstered panel surround with oak, walnut, white laminate or white corian worksurface. **Specify finish for oak or walnut veneer.**

All **COM/COL** fabric and leather alternatives must be preapproved by Bernhardt Design prior to application - see terms and conditions for COM/COL approval procedures. Fabric may be specified railroaded for seamless application. Standard with welt around perimeter of surround. Leather is not approved for use on Hug. Fabric with a content exceeding a combined total of 50% cotton, linen, rayon and/or nylon is not suitable for application due to sagging and puckering.

Hardware finish selection includes front rail, metal shelf, feet and optional power module(s); specify 3 for matte black, W for matte white.

Pass thru for wire management is standard in metal shelf. Optional power module(s) with outlet and two usb jacks. Specify C for 10' cord with grounded plug; H for hardwire whip— **note additional cost for each power module.**

Shipped assembled; **verify assembled sku is within size requirements for delivery** (elevators, hall intersections, stairwells, etc).

When using a combination of fabrics or leather alternatives, the following yardage must be used and a \$120 net upcharge per unit applies.

- A) One fabric or leather alternative for outside
yardage: 6.45 yds.
- B) One fabric or leather alternative for inside and welt
yardage: 6.45 yds.

Please specify the fabric or leather alternative application by designating the appropriate letter on the purchase order.

Worksurface Height	L	D	H	Fabric	Leather	Weight	Cubes/Qty
29"	84"	30"	49"	12.75 yds.	n/a	335 lbs.	134.72' / 1
737 mm	2134 mm	762 mm	1245 mm	11.7 m	n/a	152.0 kg	3.83 cu.

laminate worksurface

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3966	-	4986	5128	5227	5284	5355	5440	5525	5652	5865	6063	6672

Specify veneer code F for designer white laminate worksurface. **Add \$500 when specifying power.**

oak worksurface

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4532	-	5552	5694	5793	5850	5921	6006	6091	6218	6431	6629	7238

Specify veneer code C for oak worksurface. Specify finish code. **Add \$500 when specifying power.**

walnut worksurface

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4687	-	5707	5849	5948	6005	6076	6161	6246	6373	6586	6784	7393

Specify veneer code 9 for walnut worksurface. Specify finish code. **Add \$500 when specifying power.**

corian worksurface

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5562	-	6582	6724	6823	6880	6951	7036	7121	7248	7461	7659	8268

Specify veneer code 8 for corian worksurface. **Add \$500 when specifying power.**

specification codes

series
[H] hug

sku

[H] [5] [T]

veneer

- [F] laminate - 671 designer white
- [C] oak
- [9] walnut
- [8] corian® - glacier white

hardware

- [3] black
- [W] white


power

- [X] none
 - [C] corded
 - [H] hardwired
- power module \$500

finish

[] [] [] []

hug H1C



Upholstered panel surround with oak, walnut, white laminate or white corian worksurface. **Specify finish for oak or walnut veneer.**

All **COM/COL** fabric and leather alternatives must be preapproved by Bernhardt Design prior to application - see terms and conditions for COM/COL approval procedures. Fabric may be specified railroaded for seamless application. Standard with welt around perimeter of surround. Leather is not approved for use on Hug. Fabric with a content exceeding a combined total of 50% cotton, linen, rayon and/or nylon is not suitable for application due to sagging and puckering.

Hardware finish selection includes front rail, metal shelf, feet and optional power module(s); specify 3 for matte black, W for matte white.

Pass thru for wire management is standard in metal shelf. Optional power module(s) with outlet and two usb jacks. Specify C for 10' cord with grounded plug; H for hardwire whip— **note additional cost for each power module.**

Shipped assembled; **verify assembled sku is within size requirements for delivery** (elevators, hall intersections, stairwells, etc).

When using a combination of fabrics or leather alternatives, the following yardage must be used and a \$110 net upcharge per unit applies.

- A) One fabric or leather alternative for outside yardage: 4.95 yds.
- B) One fabric or leather alternative for inside and welt yardage: 4.95 yds.

Please specify the fabric or leather alternative application by designating the appropriate letter on the purchase order.

Worksurface Height	L	D	H	Fabric	Leather	Weight	Cubes/Qty
36"	48"	30"	49"	9.75 yds.	n/a	213 lbs.	84.72' / 1
915 mm	1219 mm	762 mm	1245 mm	8.9 m	n/a	96.6 kg	2.40 cu.

laminate worksurface

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2678	-	3458	3567	3643	3686	3740	3805	3870	3968	4130	4282	4748

Specify veneer code F for designer white laminate worksurface. **Add \$250 when specifying power.**

oak worksurface

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3348	-	4128	4237	4313	4356	4410	4475	4540	4638	4800	4952	5418

Specify veneer code C for oak worksurface. Specify finish code. **Add \$250 when specifying power.**

walnut worksurface

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3554	-	4334	4443	4519	4562	4616	4681	4746	4844	5006	5158	5624

Specify veneer code 9 for walnut worksurface. Specify finish code. **Add \$250 when specifying power.**

corian worksurface

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3657	-	4437	4546	4622	4665	4719	4784	4849	4947	5109	5261	5727

Specify veneer code 8 for corian worksurface. **Add \$250 when specifying power.**

specification codes

series
 hug
 H

sku
 H 1 C


veneer
 F laminate - 671 designer white
 C oak
 9 walnut
 8 corian® - glacier white

hardware
 3 black
 W white

power
 X none
 C corded
 H hardwired
 power module \$250

finish

hug H5C



Upholstered panel surround with oak, walnut, white laminate or white corian worksurface. **Specify finish for oak or walnut veneer.**

All **COM/COL** fabric and leather alternatives must be preapproved by Bernhardt Design prior to application - see terms and conditions for COM/COL approval procedures. Fabric may be specified railroaded for seamless application. Standard with welt around perimeter of surround. Leather is not approved for use on Hug. Fabric with a content exceeding a combined total of 50% cotton, linen, rayon and/or nylon is not suitable for application due to sagging and puckering.

Hardware finish selection includes front rail, metal shelf, feet and optional power module(s); specify 3 for matte black, W for matte white.

Pass thru for wire management is standard in metal shelf. Optional power module(s) with outlet and two usb jacks. Specify C for 10' cord with grounded plug; H for hardwire whip— **note additional cost for each power module.**

Shipped assembled; **verify assembled sku is within size requirements for delivery** (elevators, hall intersections, stairwells, etc).

When using a combination of fabrics or leather alternatives, the following yardage must be used and a \$120 net upcharge per unit applies.

- A) One fabric or leather alternative for outside
yardage: 6.45 yds.
- B) One fabric or leather alternative for inside and welt
yardage: 6.45 yds.

Please specify the fabric or leather alternative application by designating the appropriate letter on the purchase order.

Worksurface Height	L	D	H	Fabric	Leather	Weight	Cubes/Qty
36"	84"	30"	49"	12.75 yds.	n/a	335 lbs.	134.72' / 1
915 mm	2134 mm	762 mm	1245 mm	11.7 m	n/a	152.0 kg	3.83 cu.

laminate worksurface

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3966	-	4986	5128	5227	5284	5355	5440	5525	5652	5865	6063	6672

Specify veneer code F for designer white laminate worksurface. **Add \$500 when specifying power.**

oak worksurface

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4532	-	5552	5694	5793	5850	5921	6006	6091	6218	6431	6629	7238

Specify veneer code C for oak worksurface. Specify finish code. **Add \$500 when specifying power.**

walnut worksurface

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4687	-	5707	5849	5948	6005	6076	6161	6246	6373	6586	6784	7393

Specify veneer code 9 for walnut worksurface. Specify finish code. **Add \$500 when specifying power.**

corian worksurface

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5562	-	6582	6724	6823	6880	6951	7036	7121	7248	7461	7659	8268

Specify veneer code 8 for corian worksurface. **Add \$500 when specifying power.**

specification codes

series
 hug
 H

sku
 H 5 C


veneer
 F laminate - 671 designer white
 C oak
 9 walnut
 8 corian® - glacier white

hardware
 3 black
 W white

power
 X none
 C corded
 H hardwired
 power module \$500

finish

hug H1B



Upholstered panel surround with oak, walnut, white laminate or white corian worksurface. **Specify finish for oak or walnut veneer.**

All **COM/COL** fabric and leather alternatives must be preapproved by Bernhardt Design prior to application - see terms and conditions for COM/COL approval procedures. Fabric may be specified railroaded for seamless application. Standard with welt around perimeter of surround. Leather is not approved for use on Hug. Fabric with a content exceeding a combined total of 50% cotton, linen, rayon and/or nylon is not suitable for application due to sagging and puckering.

Hardware finish selection includes front rail, metal shelf, feet and optional power module(s); specify 3 for matte black, W for matte white.

Pass thru for wire management is standard in metal shelf. Optional power module(s) with outlet and two usb jacks. Specify C for 10' cord with grounded plug; H for hardwire whip— **note additional cost for each power module.**

Shipped assembled; **verify assembled sku is within size requirements for delivery** (elevators, hall intersections, stairwells, etc).

When using a combination of fabrics or leather alternatives, the following yardage must be used and a \$110 net upcharge per unit applies.

- A) One fabric or leather alternative for outside yardage: 4.95 yds.
- B) One fabric or leather alternative for inside and welt yardage: 4.95 yds.

Please specify the fabric or leather alternative application by designating the appropriate letter on the purchase order.

Worksurface Height	L	D	H	Fabric	Leather	Weight	Cubes/Qty
42"	48"	30"	49"	9.75 yds.	n/a	213 lbs.	84.72'/1
1067 mm	1219 mm	762 mm	1245 mm	8.9 m	n/a	96.6 kg	2.40 cu.

laminate worksurface

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2678	-	3458	3567	3643	3686	3740	3805	3870	3968	4130	4282	4748

Specify veneer code F for designer white laminate worksurface. **Add \$250 when specifying power.**

oak worksurface

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3348	-	4128	4237	4313	4356	4410	4475	4540	4638	4800	4952	5418

Specify veneer code C for oak worksurface. Specify finish code. **Add \$250 when specifying power.**

walnut worksurface

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3554	-	4334	4443	4519	4562	4616	4681	4746	4844	5006	5158	5624

Specify veneer code 9 for walnut worksurface. Specify finish code. **Add \$250 when specifying power.**

corian worksurface

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3657	-	4437	4546	4622	4665	4719	4784	4849	4947	5109	5261	5727

Specify veneer code 8 for corian worksurface. **Add \$250 when specifying power.**

specification codes

series

H | hug

H |

sku

H | 1 | B |

veneer

- F | laminate - 671 designer white
- C | oak
- 9 | walnut
- 8 | corian® - glacier white

hardware

- 3 | black
- W | white



power

- X | none
 - C | corded
 - H | hardwired
- power module \$250

finish

| |

hug H5B



Upholstered panel surround with oak, walnut, white laminate or white corian worksurface. **Specify finish for oak or walnut veneer.**

All **COM/COL** fabric and leather alternatives must be preapproved by Bernhardt Design prior to application - see terms and conditions for COM/COL approval procedures. Fabric may be specified railroaded for seamless application. Standard with welt around perimeter of surround. Leather is not approved for use on Hug. Fabric with a content exceeding a combined total of 50% cotton, linen, rayon and/or nylon is not suitable for application due to sagging and puckering.

Hardware finish selection includes front rail, metal shelf, feet and optional power module(s); specify 3 for matte black, W for matte white.

Pass thru for wire management is standard in metal shelf. Optional power module(s) with outlet and two usb jacks. Specify C for 10' cord with grounded plug; H for hardwire whip— **note additional cost for each power module.**

Shipped assembled; **verify assembled sku is within size requirements for delivery** (elevators, hall intersections, stairwells, etc).

When using a combination of fabrics or leather alternatives, the following yardage must be used and a \$120 net upcharge per unit applies.

- A) One fabric or leather alternative for outside yardage: 6.45 yds.
- B) One fabric or leather alternative for inside and welt yardage: 6.45 yds.

Please specify the fabric or leather alternative application by designating the appropriate letter on the purchase order.

Worksurface Height	L	D	H	Fabric	Leather	Weight	Cubes/Qty
42"	84"	30"	49"	12.75 yds.	n/a	335 lbs.	134.72' / 1
1067 mm	2134 mm	762 mm	1245 mm	11.7 m	n/a	152.0 kg	3.83 cu.

laminate worksurface

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3966	-	4986	5128	5227	5284	5355	5440	5525	5652	5865	6063	6672

Specify veneer code F for designer white laminate worksurface. **Add \$500 when specifying power.**

oak worksurface

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4532	-	5552	5694	5793	5850	5921	6006	6091	6218	6431	6629	7238

Specify veneer code C for oak worksurface. Specify finish code. **Add \$500 when specifying power.**

walnut worksurface

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4687	-	5707	5849	5948	6005	6076	6161	6246	6373	6586	6784	7393

Specify veneer code 9 for walnut worksurface. Specify finish code. **Add \$500 when specifying power.**

corian worksurface

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5562	-	6582	6724	6823	6880	6951	7036	7121	7248	7461	7659	8268

Specify veneer code 8 for corian worksurface. **Add \$500 when specifying power.**

specification codes

series

hug

H

sku

H 5 B

veneer

- F laminate - 671 designer white
- C oak
- 9 walnut
- B corian® - glacier white

hardware

- 3 black
- W white

power

- X none
- C corded
- H hardwired

power module \$500

finish