

prisma
price list

march 2018

Sales and Service Policy

Guidelines detailing the operating policies and procedures of Bernhardt Design are provided in the Sales and Service Policy available online at <http://www.bernhardtdesign.com/sales-and-service-policy>.

Prices and Specifications

Prices and specifications are subject to change without notice. All prices quoted will be FOB our factories. If applicable, sales tax will be based on ship-to destination.

Bernhardt Design reserves the right to make changes in dimensions, construction, price lists, or product literature without prior notice.

Order Entry

All orders are subject to final acceptance by Bernhardt Design in Lenoir, NC. Receipt of our acknowledgment indicates acceptance of your order subject to the terms set forth on the acknowledgment. Bernhardt Design attempts to clarify all purchase orders. However, in the event the price list number and description on the purchase order differ, the price list number will prevail.

Changes / Cancellation

All orders in production are considered firm orders and are not subject to changes or cancellation.

Custom Design

Bernhardt Design may alter products to meet specific needs. Contact your local sales representative when a custom design is needed. Custom designs require minimum quantities, additional lead time, and upcharges.

A custom job number, available from your local sales representative, must be submitted with purchase orders. Orders combining custom design with standard product cannot be scheduled for production until custom items are approved.

Custom design orders are not subject to revision or cancellation after acknowledgment.

Shipping

Bernhardt Design will ship in accordance with customer instructions whenever possible. If not specified, Bernhardt Design will exercise its best judgement in selecting a carrier. Orders in production will be shipped as scheduled and cannot be held.

High quality cartoning meeting trucking and railroad specifications is standard at no extra charge. Some items may be blanket wrapped for shipment.

Freight Damage and Claims

Bernhardt Design is not liable for damages that occur during transit or storage. The carrier assumes all responsibility upon acceptance of product. It is the customer's responsibility to inspect all products upon receipt and file any claims with the carrier. No product should be refused.

If products are received damaged, a written exception should be made on the bill of lading and an immediate inspection be requested of the carrier. Concealed damage must be reported to the carrier within 10 business days from date of delivery. Failure to make claims shall constitute acceptance of the products and waiver any claims of defects, errors or shortages.

In the event delivery is made on a Bernhardt Design truck, the products should be carefully inspected for transit damage. If contents are damaged, the driver should be notified to call his dispatcher for immediate disposition. Concealed damage must be reported within 10 business days from date of delivery and product/package held for inspection by a Bernhardt Design representative.

Replacements for product damaged in shipment or storage will be manufactured upon receipt of a purchase order.

Returns

No merchandise may be returned to Bernhardt Design without written consent in the form of a Return Authorization from our Quality Assurance Department stating why the item is being returned and how the item will be shipped.

Unauthorized returns will be automatically refused by our receiving department as well as returns not in accordance with Bernhardt Design shipping instructions. Liability for defective merchandise shall be limited to the replacement or repair of that merchandise, and Bernhardt Design shall not be liable for other damages or losses.

Measurements and Weights

All measurements and weights are approximate and subject to change without notice.

Care and Cleaning

Finished wood surfaces should be cleaned with a soft damp cloth, wiping in the direction of the grain. Furniture should be buffed dry immediately with a soft cloth.

Wood Finishes

Bernhardt Design tables are available in finishes that are compatible with casegoods and seating finishes. However, finishes on tables may vary slightly from those on casegoods and seating due to the natural characteristics of the wood. No absolute match is implied or guaranteed.

Light Finishes

Bernhardt Design offers lighter finishes 836, 837, 840, 850, and 870 on certain veneers. Light finishes do not hide or mask the natural characteristics of the wood. Therefore, inherent natural characteristics of the wood will vary from piece to piece when using a light finish. Natural characteristics include the natural discolorations of the wood substance and color variations in glued up stock. These natural characteristics are not considered defects by Bernhardt Design, and therefore merchandise will not be replaced.

Special Finishes

Special finishes, made to customer specifications and subject to factory approval, may be available at a **5% net upcharge with a \$500 net minimum**. Additional leadtime may be required for special finish items.

Special finish orders will not be acknowledged until the special finish sample is approved in writing and received by Bernhardt Design Customer Service. Special finish orders are not subject to revision or cancellation after acknowledgment.

Warranty

Bernhardt Design will repair or replace, at its discretion, any table product or part thereof which fails as the result of defects in material and workmanship, under single shift use and normal care for five years. This warranty shall apply only to the original purchaser.

This warranty does not cover normal wear and tear, misuse or abuse of product, dramatic temperature changes, exposure to unusual conditions or damages incurred by contact with seating products, casegoods or other surfaces.

Natural color changes, variations or movements in lumber or veneer products, exposure to extreme temperature changes and direct sunlight may cause color changes and/or surface damage. These are circumstances beyond the control of Bernhardt Design and are not warranty issues.

Repair or replacement of discontinued product will be at the discretion of Bernhardt Design.

This warranty is the customer's exclusive remedy for product defect and does not apply to damage caused by a freight carrier, dealer, installer, user modification, attachments to a product, or any third party. Bernhardt Design has the exclusive right to make the final determination of product misuse or abuse.

Except as stated above, Bernhardt Design makes no express or implied warranties as to any product, and in particular, makes no warranty of merchantability or of fitness for any particular purpose.

Bernhardt Design shall not be liable for any consequential or incidental damages or for commercial loss arising from any product defect.

Operational Parts Warranty

Drawer glides, drawer boxes, drawer pulls, and lock mechanisms have a Life-Time Warranty for original purchaser. Power and communication components are warranted for one year.

Design and Patent Rights

All of the products shown in Bernhardt Design catalogs and described in Bernhardt Design price lists are, and remain, the property of Bernhardt Design, with the sole right reserved to manufacture and to distribute.

Some of the product designs shown are patented in the United States and will remain the property of Bernhardt Design. Any reproduction of the products constitutes an infringement of patented copyright laws and will be subject to prosecution.

Bernhardt Design reserves the right to make changes in dimensions, design and/or construction, price lists, or product literature without prior notice.

Preferred Carrier Guaranteed Freight Rates

Freight charges will be applied to orders as a separate line item based on the zones listed. Rates are based on zones with a minimum for each zone. All zones are located within the Continental United States.

The freight amount is calculated on the total merchandise net price, excluding any extra discounts beyond standard net pricing. Additional freight fuel surcharges may apply. Rates are based on deliveries made Monday through Friday, 8 am until 5 pm.

All orders are shipped by Bernhardt Design company trucks or preferred carriers specified by Bernhardt Design. Dealer warehouse information, including phone number and contact name, must be specified on the purchase order.

Direct site deliveries may be requested with an additional freight cost. Requests for direct site deliveries must be made 2 weeks prior to the scheduled ship week and meet the following criteria:


- Minimum of half truckload
- Delivery site accessible by a 53' trailer
- Complete delivery site address with contact name and on-site phone number
- Labor available for unloading

Deliveries that do not meet the criteria must be directed to a receiver warehouse. If a receiver warehouse is not available, the dealer may make arrangements with their own 3rd party carrier. If a 3rd party carrier is elected, a contact name, phone number and e-mail address is required.

Weekend direct site deliveries will incur a \$500 per trailer weekend delivery fee. Weekend is defined as between 5 pm Friday and 8 am Monday.

Zone	Minimum Charge	Freight Rate	Average Service Days
1	\$80	5%	2-4 Business Days
2	\$80	6%	2-4 Business Days
3	\$90	7%	3-5 Business Days
4	\$90	8%	5-7 Business Days
5	\$90	9%	6-9 Business Days
6	\$110	10%	6-9 Business Days
7	\$110	11%	7-10 Business Days
8	\$120	12%	8-12 Business Days
9	\$120	13%	8-12 Business Days
10	\$120	15%	10-15 Business Days

Note: Average Service Days excludes ship day.



Laminate Selections

A three character sku identifies each laminate selection as well as the standard finish offered. Individual components are priced with standard finish on standard laminate.

Additional colors may be available but are subject to upcharges and extended lead times. The laminate option is available on components where noted as an option in the material specification code.

All laminate tops will have a 3mm matching edge band.

PLL Solid Laminate

Standard Solid

- 671 Designer White, Wilsonart D354-60 Matte Finish
- 672 Frosty White, Wilsonart 1573-60 Matte Finish
- 673 Fashion Grey, Wilsonart D381-60 Matte Finish
- 674 North Sea, Wilsonart D90-60 Matte Finish
- 675 Black, Wilsonart 1595-60 Matte Finish

WGL Woodgrain Laminate

Standard Woodgrain

- 678 New Age Oak, Wilsonart 7938-16 Causal Rustic Finish
- 679 Brazilwood, Wilsonart 7946-38 Matte Finish
- 680 Walnut Heights, Wilsonart 7965K-12 Soft Grain Finish
- 681 Studio Teak, Wilsonart 7960-16 Causal Rustic Finish
- 682 Asian Night, Wilsonart 7949-16 Causal Rustic Finish
- 683 Portico Teak (Grey), Wilsonart 8210K-28 Gloss Line Finish

Edge Style Selections

Laminates



FL 1 1/4" Flat

Veneers



FL 1 1/4" Flat

Veneer Selections


A three character sku identifies each species as well as the standard finish offered. Individual components are priced with standard finish. Special finishes on veneers made to customer specifications are subject to factory approval and a 5% net upcharge with a \$500 net minimum.

Transparent stains and sealers are applied in multiple steps to enhance the beauty of the natural wood. A durable, baked-on, top-coat of conversion varnish or UV topcoat is applied to protect the product. It is recommended that felt, cork or fabric backed desk pads and accessories are used on worksurfaces to minimize wear.

When specifying light finishes such as 836, 837, 840, 850 or 870, the color and characteristic variances of both veneer and solid wood are apparent. Therefore, exact color matches are not possible.

CHY Cherry


Flat Cut



- Standard Finish
- | | |
|-----|-----|
| 805 | 840 |
| 834 | 841 |
| 836 | 861 |
| 839 | |

MPL Maple


Flat Cut



- Standard Finish
- | | |
|-----|--|
| 837 | |
| 850 | |

OAK Oak


Rift Cut



- Standard Finish
- | | |
|-----|-----|
| 805 | 860 |
| 836 | 861 |
| 837 | 865 |
| 839 | 866 |
| 840 | 870 |

WLT Walnut


Flat Cut



- Standard Finish
- | | |
|-----|-----|
| 823 | 861 |
| 839 | 866 |
| 841 | 870 |
| 860 | |

PLD Paldao

Quarter Cut



- Standard Finish
- | | |
|-----|-----|
| 823 | 861 |
| 839 | 866 |
| 841 | 870 |
| 860 | |

Prisma







The Prisma conference table features faceted polished aluminum legs that can be mounted in two different positions. The legs can be positioned either on the long side of a top or on the short end side. The placement will be determined by the top that is specified. See the specific top size desired for the appropriate number of bases required. Prisma legs are specified individually and shipped in separate cartons for field installation.

Prisma tops are specifically constructed to accommodate the Prisma bases. Tops are specified separately. Prisma tops are 1 1/4" thick with flat edge.

The Mediatrac™ grommet system is available to address the needs for power and communications at the worksurface. However, the Prisma leg does not have wire management capabilities to the floor. A VGS or a VGW cable management sock will need to be specified to conceal wiring or cables extending to the floor. Note that the Prisma tops are reinforced with steel angle recessed into the top. Prisma does not utilize the Mediatrac™ rail system for cable and equipment management.

Prisma is BIFMA Level 2, GREENGUARD and FSC® C012937 certified. Visit the product page at Bernhardt.com for BIFMA Level 2 and GREENGUARD certifications. FSC® C012937 Chain of Custody certification is available by submitting a request in writing before or during the quoting process to be printed on acknowledgments and invoices. For complete information regarding the Level 2, GREENGUARD and FSC certifications, please contact bgreen@bernhardt.com.



	description	sku	w	d	h	weight	specifications	price
	prisma leg polished aluminum non-skid fixed glide pre-machined side or end mount worksurfaces 102" and longer requires 6 legs	ZGA	37/8	5 1/8	28 3/4	10		\$ 404


specification codes example: PSS-ZGA

series	sku
prisma	
P S S -	Z G A

tops sold separately, pre-machined for short end or long side leg installation
 specify legs separately
 veneer grain runs long direction on tables 60" - 84" length
 specify grommet placement when ordering top
 specify grommets and power separately




18"d console top



sku	l	w	h	weight	specifications	PLL solid laminate WGL woodgrain laminate	CHY cherry MPL maple OAK oak WLT walnut	PLD paldao
-----	---	---	---	--------	----------------	--	--	------------


ZG9	60	18	1 1/4	45	short end installation; specify 4 ZGA legs	\$ 1353	\$ 1515	\$ 1758
ZG8	72	18	1 1/4	50	short end installation; specify 4 ZGA legs	1545	1728	2005
ZB9	60	18	1 1/4	45	long side installation; specify 4 ZGA legs	1353	1515	1758
ZB8	72	18	1 1/4	50	long side installation; specify 4 ZGA legs	1545	1728	2005

30"d rectangular top



ZHA	60	30	1 1/4	80	short end installation; specify 4 ZGA legs	1434	1607	1865
ZHB	66	30	1 1/4	90	short end installation; specify 4 ZGA legs	1602	1793	2080
ZHC	72	30	1 1/4	100	short end installation; specify 4 ZGA legs	1899	2126	2467
ZCA	60	30	1 1/4	80	long side installation; specify 4 ZGA legs	1434	1607	1865
ZCB	66	30	1 1/4	90	long side installation; specify 4 ZGA legs	1602	1793	2080
ZCC	72	30	1 1/4	100	long side installation; specify 4 ZGA legs	1899	2126	2467

36"d rectangular top



ZJD	60	36	1 1/4	45	short end installation; specify 4 ZGA legs	1575	1765	2048
ZJE	66	36	1 1/4	50	short end installation; specify 4 ZGA legs	1873	2097	2433
ZJF	72	36	1 1/4	45	short end installation; specify 4 ZGA legs	2022	2263	2626
ZJG	78	36	1 1/4	45	short end installation; specify 4 ZGA legs	2172	2432	2822
ZJH	84	36	1 1/4	45	short end installation; specify 4 ZGA legs	2333	2614	3033
ZDD	60	36	1 1/4	45	long side installation; specify 4 ZGA legs	1575	1765	2048
ZDE	66	36	1 1/4	50	long side installation; specify 4 ZGA legs	1873	2097	2433
ZDF	72	36	1 1/4	50	long side installation; specify 4 ZGA legs	2022	2263	2626
ZDG	78	36	1 1/4	50	long side installation; specify 4 ZGA legs	2172	2432	2822
ZDH	84	36	1 1/4	50	long side installation; specify 4 ZGA legs	2333	2614	3033

specification codes example: PSS-SKU-FLPS000

series	sku	edge	base	grommet location
prisma		FL 1 1/4" flat	PS prisma	000 none see pages 11-12 for location codes
P S S -	-	F L	P S	

material + finish code example: WLT 839

material	finish
PLL solid laminate WGL woodgrain laminate CHY cherry MPL maple OAK oak WLT walnut PLD paldao	see page 5



tops sold separately, pre-machined for short end or long side leg installation
 specify legs separately
 veneer grain runs long direction on tables 60" - 84" length
 veneer grain runs short direction on tables 102" length and greater
 tables 102" length and larger require 6 ZGA legs
 specify grommet placement when ordering top
 specify grommets and power separately

	sku	l	w	h	weight	specifications	PLL solid laminate WGL woodgrain laminate	CHY cherry MPL maple OAK oak WLT walnut	PLD paldao	
42"d rectangular top	ZKM	72	42	1 1/4	120	short end installation; specify 4 ZGA legs	\$ 2386	\$ 2671	\$ 3099	
	ZKN	78	42	1 1/4	130	short end installation; specify 4 ZGA legs	2569	2876	3337	
	ZKO	84	42	1 1/4	140	short end installation; specify 4 ZGA legs	2751	3081	3574	
	ZEM	72	42	1 1/4	120	long side installation; specify 4 ZGA legs	2386	2671	3099	
	ZEN	78	42	1 1/4	130	long side installation; specify 4 ZGA legs	2569	2876	3337	
	ZEO	84	42	1 1/4	140	long side installation; specify 4 ZGA legs	2751	3081	3574	
	ZEP	102	42	1 1/4	170	long side installation; specify 6 ZGA legs	3297	3694	4286	
	ZEQ	108	42	1 1/4	180	long side installation; specify 6 ZGA legs	3480	3898	4522	
	ZER	114	42	1 1/4	190	long side installation; specify 6 ZGA legs	3663	4104	4761	
	ZES	120	42	1 1/4	200	long side installation; specify 6 ZGA legs	3848	4308	4998	
	48"d rectangular top	ZLT	72	48	1 1/4	120	short end installation; specify 4 ZGA legs	2883	3227	3744
		ZLU	78	48	1 1/4	130	short end installation; specify 4 ZGA legs	3066	3432	3982
ZLV		84	48	1 1/4	140	short end installation; specify 4 ZGA legs	3247	3637	4219	
ZFT		72	48	1 1/4	120	long side installation; specify 4 ZGA legs	2883	3227	3744	
ZFU		78	48	1 1/4	130	long side installation; specify 4 ZGA legs	3066	3432	3982	
ZFV		84	48	1 1/4	140	long side installation; specify 4 ZGA legs	3247	3637	4219	
ZFW		102	48	1 1/4	170	long side installation; specify 6 ZGA legs	3785	4241	4920	
ZFX		108	48	1 1/4	180	long side installation; specify 6 ZGA legs	4068	4557	5287	
ZFY		114	48	1 1/4	190	long side installation; specify 6 ZGA legs	4191	4694	5446	
ZFZ		120	48	1 1/4	200	long side installation; specify 6 ZGA legs	4408	4936	5726	

specification codes example: PSS-SKU-FLPS000

series	sku	edge	base	grommet location
prisma		FL 1 1/4" flat	PS prisma	000 none see pages 11-12 for location codes
P S S -	-	F L	P S	


material + finish code example: WLT 839

material	finish
PLL solid laminate WGL woodgrain laminate CHY cherry MPL maple OAK oak WLT walnut PLD paldao	see page 5

tops sold separately
specify legs separately
specify grommet placement when ordering top
specify grommets and power separately




round top



sku	l	w	h	weight	specifications	PLL solid laminate		CHY cherry		MPL maple		OAK oak		WLT walnut		PLD paldao	
						WGL woodgrain laminate											
ZA5	42	42	1¼	75	specify 4 ZGA legs	\$	1326	\$	1485	\$	1723						
ZA6	48	48	1¼	95	specify 4 ZGA legs		1586		1777		2062						
ZA7	54	54	1¼	115	specify 4 ZGA legs		1869		2093		2428						

square top



ZA2	36	36	1¼	65	specify 4 ZGA legs		1809		1221		1417						
ZA3	42	42	1¼	75	specify 4 ZGA legs		1161		1299		1507						
ZA4	48	48	1¼	95	specify 4 ZGA legs		1245		1393		1614						

specification codes example: PSS-SKU-FLPS000

series	sku	edge	base	grommet location
prisma		FL 1¼" flat	PS prisma	000 none see pages 11-12 for location codes
P S S -	-	F L	P S	

material + finish code example: WLT 839

material	finish
PLL solid laminate	see page 5
WGL woodgrain laminate	
CHY cherry	
MPL maple	
OAK oak	
WLT walnut	
PLD paldao	

Mediatrac1™ Power and Data Overview



Mediatrac1™ is a simplified system for routing power and data to the conference table worksurface while managing wires and auxiliary equipment. The power modules for Mediatrac™ mount in the grommet assembly allowing for ease of installation as well as maximum flexibility when hardwired units are being connected.

The Mediatrac1™ grommet system provides power and 16 different options of Extron data configurations. Grommets are available in 5 different sizes ranging from an 8" x 4" single door unit to a 72" x 8" double door unit. All units have a brushed aluminum trim with options of brushed aluminum, laminate or wood veneer doors to match the finish and grain direction of the conference table top.

Power is provided standard in all skus, however, corded or hardwire must be specified. All assemblies are CSA approved and certified for use in all US cities. Corded units: Two or four 110V/15 amp grounded outlets with 10 feet of 14 gauge SJT grounded cord. CSA approved. Hardwire units: Two or four 110V/15amp grounded outlets with 6 feet of 3/8" black liquid tight conduit with an extra 1 foot of wire exposed at the end of the conduit. CSA approved.

All Mediatrac1™ grommets are designed to accept Extron AAP plates. For every location of a power module, there are locations for two single AAP plates. A blank plate will cover both slots when shipped from the factory. Extron AAP's must be specified separately. If an AAP is specified, it is the responsibility of the user's technical staff to field install. Note: If a single AAP is all that is required, then specify a VGG blank single cover plate to cover the second available slot.

Mediatrac™ has 8 different categories of data connectors totaling 16 different AAP plates. For special applications, 100+ different AAP plates are available through Extron: <http://www.extron.com/company/article.aspx?id=aapmaap>


Mediatrac1™ Grommets

The single door Mediatrac™ modules are located to accommodate users at the ends of the conference worksurfaces. The single door modules have (2) grounded receptacles with the capability to accommodate (2) Extron AAP Single Plates, specified separately.


The double door Mediatrac1™ modules are used individually or ganged together to create a specified assembly for the table. The double modules have (4) grounded receptacles with the capability to accommodate (4) Extron AAP Single Plates, specified separately.



Illustration showing Mediatrac™ grommets




Mediatrac™ range of available sizes with power and data locations.




Mediatrac™ grommet detail - power

Mediatrac 1™ Grommet Configurations



M12 code designates the machining pattern for (2) 24" Mediatrac 1™ grommets, sold separately.



P12 code designates the machining pattern for (2) 24" Mediatrac 1™ grommets and (3) 1" Polycom grommets, all sold separately.





Illustration shows the **P15** configurations with both the Mediatrac 1™ and the Polycom™ grommets

Mediatrac 1™ grommets are available with either brushed aluminum, laminate, or wood veneer door in a variety of finishes. When wood veneer doors are specified, the grain of grommet doors will run with the grain direction of the table top.


Mediatrac 1™ grommets are available in two different configurations coded starting with the letter:

- M** represents the Mediatrac 1™ grommet options
- P** represents the combination of Mediatrac 1™ grommets and 1" round grommets located for the use of Polycom or similar speakerphone systems. This allows all wiring to be concealed and managed.


48" - 60" Round and Square Tables



60" - 78" Table - 6 Seats




84" - 90" Table - 6 Seats




Mediatrac 1™ Grommet Configurations


96" - 108" Table - 8 Seats




MO4-PO4




MO5-PO5




MO8




MO9



M10




M11 Available on 108" Tops




M12-P12 Available on 108" Tops


114" - 120" Table - 10 Seats




MO4-PO4




MO8




MO9




M10






M11






M12-P12



M13

description	sku	w	d	h	specifications	price	
8" single door mediatrac 1™ grommet							
AAP module specified separately							
							
	aluminum	VAZ	8	4	3½	120" corded	\$ 825
	2 grounded outlets, 1 exit plug accepts 2 Extron single space AAP's brushed aluminum frame and lid specify grommet location when ordering top	VAT	8	4	3½	72" hardwired	825
	laminate/veneer	VWZ	8	4	3½	120" corded	1025
	2 grounded outlets, 1 exit plug accepts 2 Extron single space AAP's brushed aluminum frame with laminate or veneer lid specify grommet location when ordering top specify laminate or veneer lid material code and finish code	VWT	8	4	3½	72" hardwired	1025




8" double door mediatrac 1™ grommet							
AAP modules specified separately							
							
	aluminum	VAY	8	8	3½	120" corded; 2 doors	\$ 1100
	4 grounded outlets, 1 exit plug accepts 4 Extron single space AAP's brushed aluminum frame and lids specify grommet location when ordering top	VAS	8	8	3½	72" hardwired; 2 doors	1100
	laminate/veneer	VWY	8	8	3½	120" corded; 2 doors	1275
	4 grounded outlets, 1 exit plug accepts 4 Extron single space AAP's brushed aluminum frame with laminate or veneer lid specify grommet location when ordering top specify laminate or veneer lid material code and finish code	VWS	8	8	3½	72" hardwired; 2 doors	1275




specification codes example: MGS-SKU

series	sku
M G S -	

material + finish code example: WLT 839

grommet lid	finish
PLL solid laminate	see page 6
WGL woodgrain laminate	
CHY cherry	
MPL maple	
OAK oak	
WLT walnut	
PLD paldao	

description	sku	w	d	h	specifications	price	
24" plus double door mediatrac 1™ grommet							
AAP modules specified separately							
							
	aluminum	VAK	24	8	3½	120" corded; 2 doors	\$ 1700
	8 grounded outlets, 2 exit plugs accepts 8 Extron single space AAP's brushed aluminum frame and lids specify grommet location when ordering top	VAJ	24	8	3½	72" hardwired; 2 doors	1700
	laminate/veneer	VWK	24	8	3½	120" corded; 2 doors	1800
	8 grounded outlets, 2 exit plugs accepts 8 Extron single space AAP's brushed aluminum frame with laminate or veneer lids specify grommet location when ordering top specify laminate or veneer lid material code and finish codes	VWJ	24	8	3½	72" hardwired; 2 doors	1800







48" (4) door mediatrac 1™ grommet							
AAP modules specified separately							
							
	aluminum	VAW	48	8	3½	120" corded; 4 doors	\$ 2000
	8 grounded outlets, 2 exit plugs accepts 8 Extron single space AAP's brushed aluminum frame and lids specify grommet location when ordering top	VAQ	48	8	3½	72" hardwired; 4 doors	2000
	laminate/veneer	VWW	48	8	3½	120" corded; 4 doors	2200
	8 grounded outlets, 2 exit plugs accepts 8 Extron single space AAP's brushed aluminum frame with laminate or veneer lids specify grommet location when ordering top specify laminate or veneer lid material code and finish codes	VWQ	48	8	3½	72" hardwired; 4 doors	2200

specification codes example: MGS-SKU

series	sku
M G S -	

material + finish code example: WLT 839

grommet lid	finish
PLL solid laminate	see page 6
WGL woodgrain laminate	
CHY cherry	
MPL maple	
OAK oak	
WLT walnut	
PLD paldao	


	description	sku	w	d	h	weight	specifications	price
	speaker phone grommet polished aluminum specify finish code PA	VGZ	1	1	1 1/8			\$ 62
	communication grommet die cast zinc brushed or polished aluminum finish fits 2 1/2" opening specify finish code BA or PA	GNC GMT	3 3	3 3	7/8 7/8		specify with table top order field installed	72 56
	wire management system gray, nylon mesh, 2 3/4" diameter zippered wire management cover mounting bracket not designed as table support bracket dimensions: 8 3/4" w x 4 3/4" d x 1 1/4" h cover dimensions: 2 3/4" w x 2 3/4" d x 24 7/8" h	VGS	8 3/4	4 3/4	26 1/8			238
	wire management snake silver finish flexible cable management system weighted metal base	VGW	2 1/2	2 1/2	30			272
	wire clip hooks onto mediatrac™ rail smoke polycarbonate finish 4 included with each table	VNZ	6	2 1/4	1 3/4			46
	power strip 6 outlet center; 110v 15 amp 15' plug in cord surge protector UL Listed	VNY	12 1/4	2	1 3/4			358

specification codes example: ACS-SKU

series	sku
accessories	
A C S -	







finish code example: BA

3" grommet
BA brushed aluminum PA polished aluminum

	description	sku	w	d	h	weight	specifications	price
	phone/data module Extron® AAP one RJ-11 phone barrel female to female single space insert	VGV	3½	-	5⁄8			\$ 151
	phone/data module Extron® AAP one RJ-45 HCI CAT 5e female to female barrel single space insert	VGI	3½	-	5⁄8			151
	phone/data module Extron® AAP one RJ-45 female to punch down block leviton CAT5 data single space insert	VGJ	3½	-	5⁄8			174
	phone/data module Extron® AAP two RJ-45 pass-through barrels CAT 5e single space insert	VGD	3½	-	5⁄8			219
	phone/data module Extron® AAP two RJ-45 pass-through barrels CAT 5e double space insert	VGF	3½	-	13⁄8			219
	phone/data module Extron® AAP one RJ-45 female to punch down block leviton CAT6 data single space insert	VGK	3½	-	5⁄8			174
	phone/data module Extron® AAP two RJ-45 female to punch down block leviton CAT6 data single space insert	VGP	3½	-	5⁄8			242

specification codes example: ACS-SKU



	description	sku	w	d	h	weight	specifications	price
	phone/data module Extron® AAP two RJ-45 female to punch down block AMP CAT6 data single space insert	VGL	3½	-	5⁄8			\$ 242
	phone/data module Extron® AAP two RJ-45 female to punch down block seimon CAT6 data single space insert	VGM	3½	-	5⁄8			242
	phone/data module Extron® AAP two RJ-45 female to punch down block ortronics CAT6 data single space insert	VGN	3½	-	5⁄8			242
	phone/data module Extron® AAP two RJ-45 female to punch down block higher than CAT6 data type connectors systemax MGS500 backward compatible double space insert	VGQ	3½	-	1¾			332
	computer/audio/video module Extron® AAP 15HD, F-F, 15 pin HD female to female 3.5mm stereo mini jack to solder tabs with silk screen "COMPUTER" and "AUDIO" single space insert	VGC	3½	-	5⁄8			242
	computer/audio/video module Extron® Interface AAP 15HD, F-F, 15 pin VGA female to female 3.5mm stereo mini jack female to female silk screen, "COMPUTER" and "AUDIO" single space insert	VGE	3½	-	5⁄8			319







specification codes example: ACS-SKU

series	sku
accessories A C S -	

	description	sku	w	d	h	weight	specifications	price
	computer/audio/video module Extron® AAP 15HD, one DVI-I female to female barrel, single space insert single space insert	VG2	3½	-	1⅝			\$ 242
	computer/audio/video module Extron® AAP HDMI female to HDMI female on 10" pigtail single space insert	VG3	3½	-	⅝			242
	computer/audio/video module Extron® AAP 15-pin HD female to 5 BNC on 8"- 12" staggered length pigtails 3.5mm stereo mini jack barrel single space insert	VG4	3½	-	⅝			355
	control/computer module Extron® AAP two USB A female to female barrels single space insert	VGR	3½	-	⅝			242
	computer/audio/video module Extron® three RCA with black powdercoat finish female to female barrels single space insert	VGT	3½	-	⅝			196
	charging module Extron® AAP Power Plate charging module 2.5 VCD USB power outlets 2.1 A / 10.5 watts of power for charging mobile devices single space insert	VGU	3½	-	⅝			474

specification codes example: ACS-SKU

series	sku
accessories	
A C S -	

description	sku	w	d	h	weight	specifications	price
 <p>computer/audio/video module VG5 3½ - 1⅝</p> <p>Extron® SuperPlate 100 - HDMI / VGA / Stereo Audio / USB HDMI: female to female, 10" (25 cm) pigtail Computer Video: 15-pin female to female, 6" (15 cm) pigtail Stereo/Audio: 3.5 mm mini jack to captive screw, 10" (25 cm) pigtail USB A: female to female, 10" (25 cm) pigtail double space insert</p>							\$ 387
 <p>computer/audio/video module VG6 3½ - 1⅝</p> <p>Extron® SuperPlate 110 - HDMI / DisplayPort / Stereo Audio / USB HDMI: female to female, 10" (25 cm) pigtail DisplayPort: female to female, 10" (25 cm) pigtail Stereo/Audio: 3.5 mm mini jack to captive screw, 10" (25 cm) pigtail USB A: female to female, 10" (25 cm) pigtail double space insert</p>							387
 <p>computer/audio/video module VG7 3½ - 1⅝</p> <p>Extron® SuperPlate 120 - HDMI / DisplayPort / VGA / Stereo Audio HDMI: female to female, 10" (25 cm) pigtail DisplayPort: female to female, 10" (25 cm) pigtail Computer Video: 15-pin female to female, 6" (15 cm) pigtail Stereo/Audio: 3.5 mm mini jack to captive screw, 10" (25 cm) pigtail double space insert</p>							387
 <p>computer/audio/video module VG8 3½ - 1⅝</p> <p>Extron® SuperPlate 130 - (2) HDMI / VGA / Stereo Audio HDMI: two (2) female to female, 10" (25 cm) pigtail Computer Video: 15-pin female to female, 6" (15 cm) pigtail Stereo/Audio: 3.5 mm mini jack to captive screw, 10" (25 cm) pigtail double space insert</p>							387
 <p>blank plate VGG 3½ - ⅝</p> <p>Extron® AAP blank plate with black powdercoat finish single space insert</p>							100
 <p>cable pass-through module VGY 3½ - 1⅝</p> <p>Extron® AAP cable pass-through with black powdercoat finish sold and ordered as 1 set with left and right specify for use with C-VMW cable sling</p>							291

specification codes example: ACS-SKU

series	sku
accessories	
A C S -	