

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	26"	31½"	31½"	29"	6.4 yds.	115.1'	70 lbs.	36.09'/1
419 mm	660 mm	800 mm	800 mm	737 mm	5.9 m	10.7 sqm	31.8 kg	1.04 cu.

b.1 4402



COM	COL	1	2	3	4	5	6	7	8	9	10	11
1975	2103	2431	2502	2587	2637	2687	2715	2758	2822	2928	3028	3334

Fully upholstered. Saddle stitch. Standard HR foam back pillow. Brushed nickel legs. Certain two-way patterns or small horizontal designs are not suitable for application on this product. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-27F-010GA. Reference b.1 in the lounge - modular section of the price list for complete information on coordinating modular components. Level 2 and GREENGUARD Certified.

When using a combination of fabrics or leathers, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric upcharges.

- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 4.2 yds leather: 79.5 sq. ft.
- B) One fabric or leather for seat
yardage: 1.4 yds leather: 23.0 sq. ft.
- C) One fabric or leather for back pillow
yardage: .9 yds leather: 14.6 sq. ft.

Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

b.1 4302AS



Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½"	26¼"	35½"	32½"	26¼"	6.7 yds.	127.6'	99 lbs.	36.09'/1
445 mm	667 mm	902 mm	826 mm	667 mm	6.1 m	11.9 sqm	44.9 kg	1.04 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2231	2365	2708	2782	2872	2924	2976	3006	3050	3117	3229	3333	3653

Fully upholstered. Saddle stitch. Loosely structured dacron wrapped foam back pillows. Brushed nickel base. Certain two-way patterns or small horizontal designs are not suitable for application on this product. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-27F-010GA. Reference b.1 in the lounge - modular section of the price list for complete information on coordinating modular components. Level 2 and GREENGUARD Certified.

When using a combination of fabrics or leathers for 4302AS the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric upcharges.

- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 4.9 yds leather: 85.8 sq. ft.
- B) One fabric or leather for seat
yardage: 1.3 yds leather: 25.1 sq. ft.
- C) One fabric or leather for back pillow
yardage: .9 yds leather: 10.5 sq. ft.

Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

b.1



Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½"	26¼"	35½"	32½"	29½"	6.7 yds.	127.6'	99 lbs.	36.09'/1
445 mm	667 mm	902 mm	826 mm	749 mm	6.1 m	11.9 sqm	44.9 kg	1.04 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2231	2365	2708	2782	2872	2924	2976	3006	3050	3117	3229	3333	3653

4302BS Saddle Stitch


4302BF Flange Stitch – available on leather, suede or thick felt only

Fully upholstered. Standard HR foam back pillow. Brushed nickel base. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-27F-010GA. Reference b.1 in the lounge - modular section of the price list for complete information on coordinating modular components. Level 2 and GREENGUARD Certified.

When using a combination of fabrics or leathers for 4302BS or 4302BF, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric upcharges.

- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 4.9 yds leather: 85.8 sq. ft.
- B) One fabric or leather for seat
yardage: 1.3 yds leather: 25.1 sq. ft.
- C) One fabric or leather for back pillow
yardage: .9 yds leather: 10.5 sq. ft.

Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

	Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty				
b.1	17½"	26¼"	95"	33½"	30"	17.7 yds.	293.0'	165 lbs.	97.97' / 1				
	445 mm	667 mm	2413 mm	851 mm	762 mm	16.2 m	27.2 sqm	76.2 kg	2.77 cu.				
	COM	COL	1	2	3	4	5	6	7	8	9	10	11
	5108	5462	6367	6564	6800	6937	7075	7154	7272	7449	7744	8019	8865

4337BS Saddle Stitch

4337BF Flange Stitch – available on leather, suede or thick felt only

Fully upholstered. Standard HR foam back pillow. Brushed nickel base. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-27F-010GA. Reference b.1 in the lounge - modular section of the price list for complete information on coordinating modular components. Level 2 and GREENGUARD Certified.

When using a combination of fabrics or leathers for 4337BS or 4337BF, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric upcharges.

- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 8.6 yds leather: 142.3 sq. ft.
- B) One fabric or leather for seat
yardage: 5.6 yds leather: 92.1 sq. ft.
- C) One fabric or leather for back pillow
yardage: 4.1 yds leather: 39.8 sq. ft.

Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

b.1 4335P

-	-	25"	2¼"	11"	1.5 yds.	2.5'	5 lbs.	.24' / 1				
-	-	635 mm	57 mm	279 mm	1.4 m	.23 sqm	.4 kg	.1 cu.				
COM	COL	1	2	3	4	5	6	7	8	9	10	11
189	219	296	313	333	344	356	363	373	388	413	436	508



Accent pillow. Unstructured dacron-filled. Saddle stitch. Use with 4335, 4325 and 4315. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-27F-010GA. Reference b.1 in the lounge - modular section of the price list for complete information on coordinating modular components. Level 2 and GREENGUARD Certified.

b.1 4337P


-	-	27"	2¼"	11"	1.5 yds.	2.5'	5 lbs.	.24' / 1				
-	-	686 mm	57 mm	279 mm	1.4 m	.23 sqm	.4 kg	.1 cu.				
COM	COL	1	2	3	4	5	6	7	8	9	10	11
189	219	296	313	333	344	356	363	373	388	413	436	508



Accent pillow. Unstructured dacron-filled. Saddle stitch. Use with 4337, 4327 and 4317. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-27F-010GA. Reference b.1 in the lounge - modular section of the price list for complete information on coordinating modular components. Level 2 and GREENGUARD Certified.


b.1 modular lounge

4315 - 4337 b.1 Modular Lounge



In addition to conventional lounge seating, b.1 has nine modules that may be combined to create configurations. For complete information reference b.1 in the lounge - modular section of the price list. Approved for GSA. Contract GS-27F-010GA. Level 2 and GREENGUARD.

b.1 4315AS




Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty				
17½"	26¼"	61½"	33½"	26¼"	12.1 yds.	192.5'	100 lbs.	68.33'/1				
445 mm	667 mm	1562 mm	851 mm	667 mm	11.1 m	17.9 sqm	45.4 kg	1.93 cu.				
COM	COL	1	2	3	4	5	6	7	8	9	10	11
3833	4075	4694	4828	4990	5084	5178	5232	5312	5433	5635	5823	6401

Left Arm Facing. Saddle Stitch. Fully upholstered. Loosely structured dacron wrapped foam back pillows. Brushed nickel base. When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. See terms and conditions for instructions on tagging COM. Approved for GSA. Contract GS-27F-010GA. Level 2 and GREENGUARD Certified.

When using a combination of fabrics or leathers for 4315AS, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric upcharges. Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 4.9 yds. leather: 94.2 sq. ft.
- B) One fabric or leather for seat
yardage: 3.8 yds. leather: 52.3 sq. ft.
- C) One fabric or leather for back pillow
yardage: 2.8 yds. leather: 39.8 sq. ft.

b.1



17½"	26¼"	61½"	33½"	30"	12.1 yds.	192.5'	100 lbs.	68.33'/1				
445 mm	667 mm	1562 mm	851 mm	762 mm	11.1 m	17.9 sqm	45.4 kg	1.93 cu.				
COM	COL	1	2	3	4	5	6	7	8	9	10	11
3833	4075	4694	4828	4990	5084	5178	5232	5312	5433	5635	5823	6401

4315BS Left Arm Facing. Saddle Stitch


4315BF Left Arm Facing. Flange Stitch – available on leather, suede or thick felt only

Fully upholstered. Standard HR foam back pillow. Brushed nickel base. When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. See terms and conditions for instructions on tagging COM. Approved for GSA. Contract GS-27F-010GA. Level 2 and GREENGUARD Certified.

When using a combination of fabrics or leathers for 4315BS or 4315BF, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric upcharges. Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 4.9 yds. leather: 94.2 sq. ft.
- B) One fabric or leather for seat
yardage: 3.8 yds. leather: 52.3 sq. ft.
- C) One fabric or leather for back pillow
yardage: 2.8 yds. leather: 39.8 sq. ft.

b.1 4325AS




17½"	26¼"	61½"	33½"	26¼"	12.1 yds.	192.5'	100 lbs.	68.33'/1				
445 mm	26¼"	1562 mm	851 mm	26¼"	11.1 m	17.9 sqm	45.4 kg	1.93 cu.				
COM	COL	1	2	3	4	5	6	7	8	9	10	11
3833	4075	4694	4828	4990	5084	5178	5232	5312	5433	5635	5823	6401

Right Arm Facing. Saddle Stitch. Fully upholstered. Loosely structured dacron wrapped foam back pillows. Brushed nickel base. When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. See terms and conditions for instructions on tagging COM. Approved for GSA. Contract GS-27F-010GA. Level 2 and GREENGUARD Certified.

When using a combination of fabrics or leathers for 4325ASF, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric upcharges. Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 4.9 yds. leather: 94.2 sq. ft.
- B) One fabric or leather for seat
yardage: 3.8 yds. leather: 52.3 sq. ft.
- C) One fabric or leather for back pillow
yardage: 2.8 yds. leather: 39.8 sq. ft.



b.1

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty				
17½"	26¼"	61½"	33½"	30"	12.1 yds.	192.5'	100 lbs.	68.33'/1				
445 mm	667 mm	1562 mm	851 mm	762 mm	11.1 m	17.9 sqm	45.4 kg	1.93 cu.				
COM	COL	1	2	3	4	5	6	7	8	9	10	11
3833	4075	4694	4828	4990	5084	5178	5232	5312	5433	5635	5823	6401


4325BS Right Arm Facing. Saddle Stitch
4325BF Right Arm Facing. Flange Stitch – available on leather, suede or thick felt only

Fully upholstered. Standard HR foam back pillow. Brushed nickel base. When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. See terms and conditions for instructions on tagging COM. Approved for GSA. Contract GS-27F-010GA. Level 2 and GREENGUARD Certified.

When using a combination of fabrics or leathers for 4325BS or 4325BF, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric upcharges. Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
 yardage: 4.9 yds. leather: 94.2 sq. ft.
- B) One fabric or leather for seat
 yardage: 3.8 yds. leather: 52.3 sq. ft.
- C) One fabric or leather for back pillow
 yardage: 2.8 yds. leather: 39.8 sq. ft.

b.1 4317AS




17½"	26¼"	89½"	33½"	26¼"	17.2 yds.	272.0'	185 lbs.	101.65'/1				
445 mm	667 mm	2273 mm	851 mm	667 mm	15.7 m	25.3 sqm	83.9 kg	2.88 cu.				
COM	COL	1	2	3	4	5	6	7	8	9	10	11
4928	5272	6152	6343	6572	6706	6840	6916	7031	7203	7489	7757	8579

Left Arm Facing. Saddle Stitch. Fully upholstered. Loosely structured dacron wrapped foam back pillows. Brushed nickel base. When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. See terms and conditions for instructions on tagging COM. Approved for GSA. Contract GS-27F-010GA. Level 2 and GREENGUARD Certified.

When using a combination of fabrics or leathers for 4317AS, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric welt upcharges. Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
 yardage: 6.3 yds. leather: 115.1 sq. ft.
- B) One fabric or leather for seat
 yardage: 6.2 yds. leather: 85.8 sq. ft.
- C) One fabric or leather for back pillow
 yardage: 4.1 yds. leather: 60.7 sq. ft.

b.1



17½"	26¼"	89½"	33½"	30"	17.2 yds.	272.0'	185 lbs.	101.65'/1				
445 mm	667 mm	2273 mm	851 mm	762 mm	15.7 m	25.3 sqm	83.9 kg	2.88 cu.				
COM	COL	1	2	3	4	5	6	7	8	9	10	11
4928	5272	6152	6343	6572	6706	6840	6916	7031	7203	7489	7757	8579


4317BS Left Arm Facing. Saddle Stitch
4317BF Left Arm Facing. Flange Stitch – available on leather, suede or thick felt only

Fully upholstered. Standard HR foam back pillow. Brushed nickel base. When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. See terms and conditions for instructions on tagging COM. Approved for GSA. Contract GS-27F-010GA. Level 2 and GREENGUARD Certified.

When using a combination of fabrics or leathers for 4317BS or 4317BF, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric welt upcharges. Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
 yardage: 6.3 yds. leather: 115.1 sq. ft.
- B) One fabric or leather for seat
 yardage: 6.2 yds. leather: 85.8 sq. ft.
- C) One fabric or leather for back pillow
 yardage: 4.1 yds. leather: 60.7 sq. ft.

	Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
b.1 4327AS	17½"	26¼"	89½"	33½"	26¼"	17.2 yds.	272.0'	185 lbs.	101.65'/1
	445 mm	667 mm	2273 mm	851 mm	667 mm	15.7 m	25.3 sqm	83.9 kg	2.88 cu.




COM	COL	1	2	3	4	5	6	7	8	9	10	11
4928	5272	6152	6343	6572	6706	6840	6916	7031	7203	7489	7757	8579

Right Arm Facing. Saddle Stitch. Fully upholstered. Loosely structured dacron wrapped foam back pillows. Brushed nickel base. When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. See terms and conditions for instructions on tagging COM. Approved for GSA. Contract GS-27F-010GA. Level 2 and GREENGUARD Certified

When using a combination of fabrics or leathers for 4327AS, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric upcharges. Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 6.3 yds. leather: 115.1 sq. ft.
- B) One fabric or leather for seat
yardage: 6.2 yds. leather: 85.8 sq. ft.
- C) One fabric or leather for back pillow
yardage: 4.1 yds. leather: 60.7 sq. ft.

b.1	17½"	26¼"	89½"	33½"	30"	17.2 yds.	272.0'	185 lbs.	101.65'/1
	445 mm	667 mm	2273 mm	851 mm	762 mm	15.7 m	25.3 sqm	83.9 kg	2.88 cu.



COM	COL	1	2	3	4	5	6	7	8	9	10	11
4928	5272	6152	6343	6572	6706	6840	6916	7031	7203	7489	7757	8579


4327BS Right Arm Facing. Saddle Stitch
4327BF Right Arm Facing. Flange Stitch – available on leather, suede or thick felt only

Fully upholstered. Standard HR foam back pillow. Brushed nickel base. When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. See terms and conditions for instructions on tagging COM. Approved for GSA. Contract GS-27F-010GA. Level 2 and GREENGUARD Certified

When using a combination of fabrics or leathers for 4327BS or 4327BF, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric upcharges. Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 6.3 yds. leather: 115.1 sq. ft.
- B) One fabric or leather for seat
yardage: 6.2 yds. leather: 85.8 sq. ft.
- C) One fabric or leather for back pillow
yardage: 4.1 yds. leather: 60.7 sq. ft.

b.1 4390AS	17½"	26¼"	33½"	33½"	26¼"	7.0 yds.	131.8'	100 lbs.	32.10'/1
	445 mm	667 mm	851 mm	851 mm	667 mm	6.4 m	12.2 sqm	45.4 kg	.91 cu.




COM	COL	1	2	3	4	5	6	7	8	9	10	11
2742	2882	3240	3318	3411	3466	3520	3551	3598	3668	3785	3894	4228

Corner Module. Saddle Stitch. Fully upholstered. Loosely structured dacron wrapped foam back pillows. Brushed nickel base. When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. See terms and conditions for instructions on tagging COM. Approved for GSA. Contract GS-27F-010GA. Level 2 and GREENGUARD Certified.

When using a combination of fabrics or leathers for 4390AS, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric upcharges. Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 3.5 yds. leather: 69.1 sq. ft.
- B) One fabric or leather for seat
yardage: 1.3 yds. leather: 25.1 sq. ft.
- C) One fabric or leather for back pillow
yardage: 2.1 yds. leather: 37.7 sq. ft.

	Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty				
b.1	17½"	26¼"	33½"	33½"	30"	7.0 yds.	131.8'	100 lbs.	32.10' / 1				
	445 mm	667 mm	851 mm	851 mm	762 mm	6.4 m	12.2 sqm	45.4 kg	.91 cu.				
	COM	COL	1	2	3	4	5	6	7	8	9	10	11
	2742	2882	3240	3318	3411	3466	3520	3551	3598	3668	3785	3894	4228



4390BS Corner Module. Saddle Stitch

4390BF Corner Module. Flange Stitch – available on leather, suede or thick felt only

Fully upholstered. Standard HR foam back pillow. Brushed nickel base. When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. See terms and conditions for instructions on tagging COM. Approved for GSA. Contract GS-27F-010GA. Level 2 and GREENGUARD Certified.

When using a combination of fabrics or leathers for 439BS or 4390BF, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric upcharges. Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 3.5 yds. leather: 69.1 sq. ft.
- B) One fabric or leather for seat
yardage: 1.3 yds. leather: 25.1 sq. ft.
- C) One fabric or leather for back pillow
yardage: 2.1 yds. leather: 37.7 sq. ft.

b.1 4335P


-	-	25"	2¼"	11"	1.5 yds.	2.5'	5 lbs.	.24' / 1				
-	-	635 mm	57 mm	279 mm	1.4 m	.23 sqm	.4 kg	.1 cu.				
COM	COL	1	2	3	4	5	6	7	8	9	10	11
189	219	296	313	333	344	356	363	373	388	413	436	508



Accent pillow. Unstructured dacron-filled. Saddle stitch. Use with 4335, 4325 and 4315. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-27F-010GA. Level 2 and GREENGUARD Certified.

b.1 4337P

-	-	27"	2¼"	11"	1.5 yds.	2.5'	5 lbs.	.24' / 1				
-	-	686 mm	57 mm	279 mm	1.4 m	.23 sqm	.4 kg	.1 cu.				
COM	COL	1	2	3	4	5	6	7	8	9	10	11
189	219	296	313	333	344	356	363	373	388	413	436	508



Accent pillow. Unstructured dacron-filled. Saddle stitch. Use with 4337, 4327 and 4317. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-27F-010GA. Level 2 and GREENGUARD Certified.