

b.1 4302AS



Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty				
17½"	26¼"	35½"	32½"	26¼"	6.7 yds	127.6'	99 lbs.	36.09/1				
445 mm	667 mm	902 mm	826 mm	667 mm	6.1 m	11.9 sqm	44.9 kg	1.04 cu.				
COM	COL	1	2	3	4	5	6	7	8	9	10	11
2436	2570	2913	2987	3077	3129	3181	3211	3255	3322	3434	3538	3858

Brushed Stainless Steel Base. Fully Upholstered. Saddle Stitch.

Loosely structured dacron wrapped foam back pillows. Certain two-way patterns or small horizontal designs are not suitable for application on this product. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-27F-010GA. Level 1 and GREENGUARD Gold Certified. See terms and conditions for additional environmental information. Reference b.1 in the lounge - modular section of the price list for complete information on coordinating modular components.

When using a combination of fabrics or leathers for 4302AS the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric upcharges.

- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 4.9 yds. leather: 85.8 sq. ft.
- B) One fabric or leather for seat
yardage: 1.3 yds. leather: 25.1 sq. ft.
- C) One fabric or leather for back pillow
yardage: .9 yds. leather: 10.5 sq. ft.

Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

b.1



Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty				
17½"	26¼"	35½"	32½"	29½"	6.7 yds	127.6'	99 lbs.	36.09/1				
445 mm	667 mm	902 mm	826 mm	749 mm	6.1 m	11.9 sqm	44.9 kg	1.04 cu.				
COM	COL	1	2	3	4	5	6	7	8	9	10	11
2436	2570	2913	2987	3077	3129	3181	3211	3255	3322	3434	3538	3858

4302BS Brushed Stainless Steel Base. Fully Upholstered. Saddle Stitch.

4302BF Brushed Stainless Steel Base. Fully Upholstered. Flange Stitch. Available On Leather, Suede Or Thick Felt Only.

Standard HR foam back pillow. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Reference b.1 in the lounge - modular section of the price list for complete information on coordinating modular components. Approved for GSA. Contract GS-27F-010GA. Level 1 and GREENGUARD Gold Certified. See terms and conditions for additional environmental information.

When using a combination of fabrics or leathers for 4302BS or 4302BF, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric upcharges.

- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 4.9 yds. leather: 85.8 sq. ft.
- B) One fabric or leather for seat
yardage: 1.3 yds. leather: 25.1 sq. ft.
- C) One fabric or leather for back pillow
yardage: .9 yds leather: 10.5 sq. ft.

Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

b.1 4335AS



Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty				
17½"	26¼"	62"	32½"	26¼"	9.6 yds.	194.6'	115 lbs.	68.33/1				
445 mm	667 mm	1575 mm	826 mm	667 mm	8.8 m	18.1 sqm	52.2 kg	1.93 cu.				
COM	COL	1	2	3	4	5	6	7	8	9	10	11
4383	4575	5066	5173	5301	5375	5450	5493	5557	5653	5813	5962	6421

Brushed Stainless Steel Base. Fully Upholstered. Saddle Stitch.

Loosely structured dacron wrapped foam back pillows. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Reference b.1 in the lounge - modular section of the price list for complete information on coordinating modular components. Approved for GSA. Contract GS-27F-010GA. Level 1 and GREENGUARD Gold Certified. See terms and conditions for additional environmental information.

When using a combination of fabrics or leathers for 4335AS, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric upcharges.

- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 6.7 yds. leather: 113.0 sq. ft.
- B) One fabric or leather for seat
yardage: 2.5 yds. leather: 54.4 sq. ft.
- C) One fabric or leather for back pillow
yardage: 2.4 yds. leather: 37.7 sq. ft.

Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

b.1



17½"	26¼"	62"	32½"	30"	9.6 yds.	194.6'	115 lbs.	68.33/1				
445 mm	667 mm	1575 mm	851 mm	762 mm	8.8 m	18.1 sqm	52.2 kg	1.93 cu.				
COM	COL	1	2	3	4	5	6	7	8	9	10	11
4383	4575	5066	5173	5301	5375	5450	5493	5557	5653	5813	5962	6421

4335BS Brushed Stainless Steel Base. Fully Upholstered. Saddle Stitch

4335BF Brushed Stainless Steel Base. Fully Upholstered. Flange Stitch. Available On Leather, Suede Or Thick Felt Only.

Standard HR foam back pillow. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Reference b.1 in the lounge - modular section of the price list for complete information on coordinating modular components. Approved for GSA. Contract GS-27F-010GA. Level 1 and GREENGUARD Gold Certified. See terms and conditions for additional environmental information.

When using a combination of fabrics or leathers for 4335BS or 4335BF, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric upcharges.

- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 6.7 yds leather: 113.0 sq. ft.
- B) One fabric or leather for seat
yardage: 2.5 yds. leather: 54.4 sq. ft.
- C) One fabric or leather for back pillow
yardage: 2.4 yds. leather: 37.7 sq. ft.

Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

b.1 4335P



-	-	25"	2¼"	11"	1.5 yds.	2.5'	5 lbs.	.24/1				
-	-	635 mm	57 mm	279 mm	1.4 m	.23 sqm	.4 kg	.1 cu.				
COM	COL	1	2	3	4	5	6	7	8	9	10	11
208	238	315	332	352	363	375	382	392	407	432	455	527

Accent Pillow. Unstructured Dacron-filled. Saddle Stitch.

Use with 4335, 4325 and 4315. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Reference b.1 in the lounge - modular section of the price list for complete information on coordinating modular components. Approved for GSA. Contract GS-27F-010GA. Level 1 and GREENGUARD Gold Certified. See terms and conditions for additional environmental information.

		Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty				
b.1 4337AS		17½"	26¼"	95"	33½"	26¼"	17.7 yds.	293.0'	165 lbs.	97.97/1				
		445 mm	667 mm	2413 mm	851 mm	667 mm	16.2 m	27.2 sqm	76.2 kg	2.77 cu.				
		COM	COL	1	2	3	4	5	6	7	8	9	10	11
		5578	5932	6837	7034	7270	7407	7545	7624	7742	7919	8214	8489	9335



Brushed Stainless Steel Base. Fully Upholstered. Saddle Stitch.

Loosely structured dacron wrapped foam back pillows. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Reference b.1 in the lounge - modular section of the price list for complete information on coordinating modular components. Approved for GSA. Contract GS-27F-010GA. Level 1 and GREENGUARD Gold Certified. See terms and conditions for additional environmental information.

When using a combination of fabrics or leathers for 4337AS, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric upcharges.

- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 8.6 yds. leather: 142.3 sq. ft.
- B) One fabric or leather for seat
yardage: 5.6 yds. leather: 92.1 sq. ft.
- C) One fabric or leather for back pillow
yardage: 4.1 yds. leather: 39.8 sq. ft.

Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

b.1		17½"	26¼"	95"	33½"	30"	17.7 yds.	293.0'	165 lbs.	97.97/1				
		445 mm	667 mm	2413 mm	851 mm	762 mm	16.2 m	27.2 sqm	76.2 kg	2.77 cu.				
		COM	COL	1	2	3	4	5	6	7	8	9	10	11
		5578	5932	6837	7034	7270	7407	7545	7624	7742	7919	8214	8489	9335



4337BS Brushed Stainless Steel Base. Saddle Stitch. Fully Upholstered. Saddle Stitch.

4337BF Brushed Stainless Steel Base. Fully Upholstered. Flange Stitch. Available On Leather, Suede Or Thick Felt Only.

Standard HR foam back pillow. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Reference b.1 in the lounge - modular section of the price list for complete information on coordinating modular components. Approved for GSA. Contract GS-27F-010GA. Level 1 and GREENGUARD Gold Certified. See terms and conditions for additional environmental information.

When using a combination of fabrics or leathers for 4337BS or 4337BF, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric upcharges.

- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 8.6 yds. leather: 142.3 sq. ft.
- B) One fabric or leather for seat
yardage: 5.6 yds. leather: 92.1 sq. ft.
- C) One fabric or leather for back pillow
yardage: 4.1 yds. leather: 39.8 sq. ft.

Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

b.1 4337P		-	-	27"	2¼"	11"	1.5 yds.	2.5'	5 lbs.	.24/1				
		-	-	686 mm	57 mm	279 mm	1.4 m	.23 sqm	.4 kg	.1 cu.				
		COM	COL	1	2	3	4	5	6	7	8	9	10	11
		208	238	315	332	352	363	375	382	392	407	432	455	527



Accent Pillow. Unstructured Dacron-filled. Saddle Stitch.

Accent pillow. Unstructured dacron-filled. Saddle stitch. Use with 4337, 4327 and 4317. *All **COM/COL** fabrics must be pre-approved by Bernhardt Design prior to application. Reference b.1 in the lounge - modular section of the price list for complete information on coordinating modular components. Approved for GSA. Contract GS-27F-010GA. Level 1 and GREENGUARD Gold Certified. See terms and conditions for additional environmental information.

b.1 4402



Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty				
16½"	26"	31½"	31½"	29"	6.4 yds.	115.1'	70 lbs.	36.09/1				
419 mm	660 mm	800 mm	800 mm	737 mm	5.9 m	10.7 sqm	31.8 kg	1.04 cu.				
COM	COL	1	2	3	4	5	6	7	8	9	10	11
2157	2285	2613	2684	2769	2819	2869	2897	2940	3004	3110	3210	3516

Brushed Stainless Steel Base. Fully Upholstered. Saddle Stitch.


Standard HR foam back pillow. Certain two-way patterns or small horizontal designs are not suitable for application on this product. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Reference b.1 in the lounge - modular section of the price list for complete information on coordinating modular components. Approved for GSA. Contract GS-27F-010GA. Level 1 and GREENGUARD Gold Certified. See terms and conditions for additional environmental information.

When using a combination of fabrics or leathers, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric upcharges.

- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 4.2 yds. leather: 79.5 sq. ft.
- B) One fabric or leather for seat
yardage: 1.4 yds. leather: 23.0 sq. ft.
- C) One fabric or leather for back pillow
yardage: .9 yds. leather: 14.6 sq. ft.

Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

b.1 4315AS



Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty				
17½"	26¼"	61½"	33½"	26¼"	12.1 yds.	192.5'	100 lbs.	68.33'/1				
445 mm	667 mm	1562 mm	851 mm	667 mm	11.1 m	17.9 sqm	45.4 kg	1.93 cu.				
COM	COL	1	2	3	4	5	6	7	8	9	10	11
4185	4427	5046	5180	5342	5436	5530	5584	5664	5785	5987	6175	6753

Two-seat. Left Arm Facing. Brushed Stainless Steel Base. Fully Upholstered. Saddle Stitch.


Loosely structured dacron wrapped foam back pillows. When ordering multi-item configurations, please provide the total **COM** yardage from the same dye lot in a continuous roll(s). *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-27F-010GA. Level 1 and GREENGUARD Gold Certified. See terms and conditions for instructions on tagging **COM** and additional environmental information.

When using a **COM** bination of fabrics or leathers for 4315AS, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric upcharges.

- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 4.9 yds. leather: 94.2 sq. ft.
- B) One fabric or leather for seat
yardage: 3.8 yds. leather: 52.3 sq. ft.
- C) One fabric or leather for back pillow
yardage: 2.8 yds. leather: 39.8 sq. ft.

Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

b.1 4315B



Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty				
17½"	26¼"	61½"	33½"	30"	12.1 yds.	192.5'	100 lbs.	68.33'/1				
445 mm	667 mm	1562 mm	851 mm	762 mm	11.1 m	17.9 sqm	45.4 kg	1.93 cu.				
COM	COL	1	2	3	4	5	6	7	8	9	10	11
4185	4427	5046	5180	5342	5436	5530	5584	5664	5785	5987	6175	6753

4315BS Two-seat. Left Arm Facing. Brushed Stainless Steel Base. Fully Upholstered. Saddle Stitch

4315BF Two-seat. Left Arm Facing. Brushed Stainless Steel Base. Fully Upholstered. Flange Stitch – available on leather, suede or thick felt only


Standard HR foam back pillow. When ordering multi-item configurations, please provide the total **COM** yardage from the same dye lot in a continuous roll(s). *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-27F-010GA. Level 1 and Gold GREENGUARD Gold Certified. See terms and conditions for instructions on tagging **COM** and additional environmental information.

When using a **COM** bination of fabrics or leathers for 4315BS or 4315BF, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric upcharges.

- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 4.9 yds. leather: 94.2 sq. ft.
- B) One fabric or leather for seat
yardage: 3.8 yds. leather: 52.3 sq. ft.
- C) One fabric or leather for back pillow
yardage: 2.8 yds. leather: 39.8 sq. ft.

Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

b.1 4325AS



Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty				
17½"	26¼"	61½"	33½"	26¼"	12.1 yds.	192.5'	100 lbs.	68.33'/1				
445 mm	667 mm	1562 mm	851 mm	667 mm	11.1 m	17.9 sqm	45.4 kg	1.93 cu.				
COM	COL	1	2	3	4	5	6	7	8	9	10	11
4185	4427	5046	5180	5342	5436	5530	5584	5664	5785	5987	6175	6753

Two-seat. Right Arm Facing. Brushed Stainless Steel Base. Fully Upholstered. Saddle Stitch.


Loosely structured dacron wrapped foam back pillows. When ordering multi-item configurations, please provide the total **COM** yardage from the same dye lot in a continuous roll(s). *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-27F-010GA. Level 1 and GREENGUARD Gold Certified. See terms and conditions for instructions on tagging **COM** and additional environmental information.

When using a **COM** bination of fabrics or leathers for 4325ASF, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric upcharges.

- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 4.9 yds. leather: 94.2 sq. ft.
- B) One fabric or leather for seat
yardage: 3.8 yds. leather: 52.3 sq. ft.
- C) One fabric or leather for back pillow
yardage: 2.8 yds. leather: 39.8 sq. ft.

Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

b.1 4325B



Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty				
17½"	26¼"	61½"	33½"	30"	12.1 yds.	192.5'	100 lbs.	68.33'/1				
445 mm	667 mm	1562 mm	851 mm	762 mm	11.1 m	17.9 sqm	45.4 kg	1.93 cu.				
COM	COL	1	2	3	4	5	6	7	8	9	10	11
4185	4427	5046	5180	5342	5436	5530	5584	5664	5785	5987	6175	6753

4325BS Two-seat. Right Arm Facing. Brushed Stainless Steel Base. Fully Upholstered. Saddle Stitch

4325BF Two-seat. Right Arm Facing. Brushed Stainless Steel Base. Fully Upholstered. Flange Stitch – available on leather, suede or thick felt only


Standard HR foam back pillow. When ordering multi-item configurations, please provide the total **COM** yardage from the same dye lot in a continuous roll(s). *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-27F-010GA. Level 1 and GREENGUARD Gold Certified. See terms and conditions for instructions on tagging **COM** and additional environmental information.

When using a **COM** bination of fabrics or leathers for 4325BS or 4325BF, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric upcharges. Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 4.9 yds. leather: 94.2 sq. ft.
- B) One fabric or leather for seat
yardage: 3.8 yds. leather: 52.3 sq. ft.
- C) One fabric or leather for back pillow yardage: 2.8 yds. leather: 39.8 sq. ft.

Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

b.1 4317AS



Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty				
17½"	26¼"	61½"	33½"	26¼"	17.2 yds.	272.0'	185 lbs.	101.65/1				
445 mm	667 mm	2273 mm	851 mm	667 mm	15.7 m	25.3 sqm	83.9 kg	-				
COM	COL	1	2	3	4	5	6	7	8	9	10	11
5381	5725	6605	6796	7025	7159	7293	7369	7484	7656	7942	8210	9032

Three-seat. Left Arm Facing. Brushed Stainless Steel Base. Fully Upholstered. Saddle Stitch.


Loosely structured dacron wrapped foam back pillows. When ordering multi-item configurations, please provide the total **COM** yardage from the same dye lot in a continuous roll(s). *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-27F-010GA. Level 1 and GREENGUARD Gold Certified. See terms and conditions for instructions on tagging **COM** and additional environmental information.

When using a **COM** bination of fabrics or leathers for 4317AS, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric welt upcharges.

- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 6.3 yds leather: 115.1 sq. ft.
- B) One fabric or leather for seat
yardage: 6.2 yds. leather: 85.8 sq. ft.
- C) One fabric or leather for back pillow
yardage: 4.1 yds. leather: 60.7 sq. ft.

Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

b.1 4317B



Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty				
17½"	26¼"	89½"	33½"	30"	17.2 yds.	272.0'	185 lbs.	101.65/1				
445 mm	667 mm	2273 mm	851 mm	762 mm	15.7 m	25.3 sqm	83.9 kg	-				
COM	COL	1	2	3	4	5	6	7	8	9	10	11
5381	5725	6605	6796	7025	7159	7293	7369	7484	7656	7942	8210	9032

4317BS Three-seat. Left Arm Facing. Brushed Stainless Steel Base. Fully Upholstered. Saddle Stitch

4317BF Three-seat. Left Arm Facing. Brushed Stainless Steel Base. Fully Upholstered. Flange Stitch – available on leather, suede or thick felt only


Standard HR foam back pillow. When ordering multi-item configurations, please provide the total **COM** yardage from the same dye lot in a continuous roll(s). *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-27F-010GA. Level 1 and GREENGUARD Gold Certified. See terms and conditions for instructions for tagging **COM** and additional environmental information.

When using a **COM** bination of fabrics or leathers for 4317BS or 4317BF, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric welt upcharges. Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 6.3 yds. leather: 115.1 sq. ft.
- B) One fabric or leather for seat
yardage: 6.2 yds. leather: 85.8 sq. ft.
- C) One fabric or leather for back pillow
yardage: 4.1 yds. leather: 60.7 sq. ft.

Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

b.1 4327AS



Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty				
17½"	26¼"	89½"	33½"	26¼"	25.3 sqm	272.0'	185 lbs.	101.65'/1				
445 mm	667 mm	-	851 mm	667 mm	15.7 m	25.3 sqm	83.9 kg	2.88 cu.				
COM	COL	1	2	3	4	5	6	7	8	9	10	11
5381	5725	6605	6796	7025	7159	7293	7369	7484	7656	7942	8210	9032

Three-seat. Right Arm Facing. Brushed Stainless Steel Base. Fully Upholstered. Saddle Stitch.


Loosely structured dacron wrapped foam back pillows. When ordering multi-item configurations, please provide the total **COM** yardage from the same dye lot in a continuous roll(s). *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-27F-010GA. Level 1 and GREENGUARD Gold Certified. See terms and conditions for instructions on tagging **COM** and additional environmental information.

When using a **COM** bination of fabrics or leathers for 4327AS, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric upcharges. Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 6.3 yds. leather: 115.1 sq. ft.
- B) One fabric or leather for seat
yardage: 6.2 yds. leather: 85.8 sq. ft.
- C) One fabric or leather for back pillow
yardage: 4.1 yds. leather: 60.7 sq. ft.

Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

b.1 4327B



17½"	26¼"	89½"	33½"	30"	17.2 yds.	272.0'	185 lbs.	101.65'/1				
445 mm	667 mm	2273 mm	851 mm	762 mm	15.7 m	25.3 sqm	83.9 kg	2.88 cu.				
COM	COL	1	2	3	4	5	6	7	8	9	10	11
5381	5725	6605	6796	7025	7159	7293	7369	7484	7656	7942	8210	9032

4327BS Three-seat. Right Arm Facing, Brushed Stainless Steel Base. Fully Upholstered. Saddle Stitch

4327BF Three-seat. Right Arm Facing, Brushed Stainless Steel Base. Fully Upholstered. Flange Stitich - available on leather, suede or thick felt only


Standard HR foam back pillow. When ordering multi-item configurations, please provide the total **COM** yardage from the same dye lot in a continuous roll(s). *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-27F-010GA. Level 1 and GREENGUARD Gold Certified. See terms and conditions for instructions on tagging **COM** and additional environmental information.

When using a **COM** bination of fabrics or leathers for 4327BS or 4327BF, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric upcharges. Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 6.3 yds. leather: 115.1 sq. ft.
- B) One fabric or leather for seat
yardage: 6.2 yds. leather: 85.8 sq. ft. C) One fabric or leather for back pillow yardage: 4.1 yds. leather: 60.7 sq. ft.

Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

b.1 4390AS



Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty				
17½"	26¼"	33½"	33½"	26¼"	7.0 yds.	131.8'	100 lbs.	32.10/1				
445 mm	667 mm	851 mm	851 mm	667 mm	6.4 m	12.2 sqm	45.4 kg	.91 cu.				
COM	COL	1	2	3	4	5	6	7	8	9	10	11
2995	3135	3493	3571	3664	3719	3773	3804	3851	3921	4038	4147	4481

Corner Module. Brushed Stainless Steel Base. Fully Upholstered. Saddle Stitch.


Loosely structured dacron wrapped foam back pillows. When ordering multi-item configurations, please provide the total **COM** yardage from the same dye lot in a continuous roll(s). *All **COM/COM** fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-27F-010GA. Level 1 and GREENGUARD Gold Certified. See terms and conditions for instructions on tagging **COM** and additional environmental information.

When using a **COM** bination of fabrics or leathers for 4390AS, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric upcharges.

- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 3.5 yds. leather: 69.1 sq. ft.
- B) One fabric or leather for seat
yardage: 1.3 yds. leather: 25.1 sq. ft.
- C) One fabric or leather for back pillow
yardage: 2.1 yds. leather: 37.7 sq. ft.

Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

b.1 4390B



Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty				
17½"	26¼"	33½"	33½"	30"	7.0 yds.	131.8'	100 lbs.	32.10/1				
445 mm	667 mm	851 mm	851 mm	762 mm	6.4 m	12.2 sqm	45.4 kg	.91 cu.				
COM	COL	1	2	3	4	5	6	7	8	9	10	11
2995	3135	3493	3571	3664	3719	3773	3804	3851	3921	4038	4147	4481

4390BS Corner Module. Brushed Stainless Steel Base. Fully Upholstered. Saddle Stitch

4390BF Corner Module, Brushed Stainless Steel Base. Fully Upholstered. Flange Stitich - available on leather, suede or thick felt only


Fully upholstered. Standard HR foam back pillow. Brushed stainless steel base. When ordering multi-item configurations, please provide the total **COM** yardage from the same dye lot in a continuous roll(s).*All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-27F-010GA. Level 1 and GREENGUARD Gold Certified. See terms and conditions for instructions on tagging **COM** and additional environmental information.

When using a **COM** bination of fabrics or leathers for 439BS or 4390BF, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric upcharges. Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 3.5 yds. leather: 69.1 sq. ft.
- B) One fabric or leather for seat
yardage: 1.3 yds. leather: 25.1 sq. ft.
- C) One fabric or leather for back pillow
yardage: 2.1 yds. leather: 37.7 sq. ft.

Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

b.1.4335P



Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty				
-	-	25"	2¼"	11"	1.5 yds.	2.5'	5 lbs.	.24/1				
-	-	635 mm	57 mm	279 mm	1.4 m	.23 sqm	.4 kg	.1 cu.				
COM	COL	1	2	3	4	5	6	7	8	9	10	11
208	238	315	332	352	363	375	382	392	407	432	455	527

Accent Pillow. Saddle Stitch. Unstructured Dacron-filled.

Use with 4335, 4325 and 4315. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-27F-010GA. Level 1 and GREENGUARD Gold Certified. See terms and conditions for additional environmental information.

	Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty			
b.1 4337P	-	-	27"	2¼"	11"	1.5 yds.	2.5'	5 lbs.	.24/1			
	-	-	686 mm	57 mm	279 mm	1.4 m	.23 sqm	.4 kg	.1 cu.			
COM	COL	1	2	3	4	5	6	7	8	9	10	11
208	238	315	332	352	363	375	382	392	407	432	455	527



Accent Pillow. Saddle Stitch. Unstructured Dacron-filled.

Use with 4337, 4327 and 4317. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-27F-010GA. Level 1 and GREENGUARD Gold Certified. See terms and conditions for additional environmental information.