

gallery 5281



| Seat Height | Arm Height | W | D | H | Fabric | Leather | Weight | Cubes/Qty | | | | |
|-------------|------------|--------|--------|--------|-----------|---------|---------|-----------|------|------|------|------|
| 17" | - | 21" | 21" | 17" | **3.0 yds | **53.0' | 25 lbs. | 5.88/1 | | | | |
| 432 mm | - | 533 mm | 533 mm | 432 mm | 2.7 m | 4.9 sqm | 11.3 kg | .17 cu | | | | |
| COM | COL | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 |
| 773 | 853 | 1058 | 1102 | 1156 | 1187 | 1218 | 1236 | 1262 | 1302 | 1369 | 1431 | 1622 |

Ottoman. Fully Upholstered. Saddle Stitch. Non-marring Glides

*All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. GREENGUARD Gold Certified. See terms and conditions for additional environmental information.


When using a combination of fabrics or leathers, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric and welt upcharges.

- A) One fabric or leather for top seat panel and upper body
yardage: 2.0 yds. leather: 36.0 sq. ft.
- B) One fabric or leather for lower body
yardage: 1.0 yds. leather: 18.0 sq. ft.
- C) One fabric or leather for welt
yardage: 1.0 yds. leather: 18.0 sq. ft.

Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

**Denotes yardage requirement when the same fabric is specified for the entire piece.

gallery 5281M



| 17" | - | 21" | 21" | 17" | **3.0 yds | **53.0' | 25 lbs. | 5.88/1 | | | | |
|--------|-----|--------|--------|--------|-----------|---------|---------|--------|------|------|------|------|
| 432 mm | - | 533 mm | 533 mm | 432 mm | 2.7 m | 4.9 sqm | 11.3 kg | .17 cu | | | | |
| COM | COL | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 |
| 850 | 930 | 1135 | 1179 | 1233 | 1264 | 1295 | 1313 | 1339 | 1379 | 1446 | 1508 | 1699 |

Mobile Ottoman. Fully Upholstered. Saddle Stitch. Concealed Casters.

Six small concealed casters. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. GREENGUARD Gold Certified. See terms and conditions for additional environmental information.


When using a combination of fabrics or leathers, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric and welt upcharges.

- A) One fabric or leather for top seat panel and upper body
yardage: 2.0 yds. leather: 36.0 sq. ft.
- B) One fabric or leather for lower body
yardage: 1.0 yds. leather: 18.0 sq. ft.
- C) One fabric or leather for welt
yardage: 1.0 yds. leather: 18.0 sq. ft.

Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

**Denotes yardage requirement when the same fabric is specified for the entire piece.

gallery 5282



| Seat Height | Arm Height | W | D | H | Fabric | Leather | Weight | Cubes/Qty | | | | |
|-------------|------------|--------|--------|--------|-----------|---------|---------|-----------|------|------|------|------|
| 17" | - | 25" | 25" | 17" | **3.0 yds | **53.0 | 33 lbs. | 13.86'/1 | | | | |
| 432 mm | - | 635 mm | 635 mm | 432 mm | 2.7 m | 4.9 sqm | 15.0 kg | .40 cu | | | | |
| COM | COL | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 |
| 902 | 982 | 1187 | 1231 | 1285 | 1316 | 1347 | 1365 | 1391 | 1431 | 1498 | 1560 | 1751 |

Ottoman. Fully Upholstered. Saddle Stitch. Non-marring Glides.

*All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. GREENGUARD Gold Certified. See terms and conditions for additional environmental information.

When using a combination of fabrics or leathers, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric and welt upcharges.

- A) One fabric or leather for top seat panel and upper body
yardage: 2.0 yds. leather: 36.0 sq. ft.
- B) One fabric or leather for lower body
yardage: 1.0 yds. leather: 18.0 sq. ft.
- C) One fabric or leather for welt
yardage: 1.0 yds. leather: 18.0 sq. ft.

Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

**Denotes yardage requirement when the same fabric is specified for the entire piece.

gallery 5282M



| 17" | - | 25" | 25" | 17" | **3.0 yds | **53.0 | 33 lbs. | 13.86'/1 | | | | |
|--------|------|--------|--------|--------|-----------|---------|---------|----------|------|------|------|------|
| 432 mm | - | 635 mm | 635 mm | 432 mm | 2.7 m | 4.9 sqm | 15.0 kg | .40 cu | | | | |
| COM | COL | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 |
| 979 | 1059 | 1264 | 1308 | 1362 | 1393 | 1424 | 1442 | 1468 | 1508 | 1575 | 1637 | 1828 |

Mobile Ottoman. Fully Upholstered. Saddle Stitch. Concealed Casters.

Six small concealed casters. *All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. GREENGUARD Gold Certified. See terms and conditions for additional environmental information.

When using a combination of fabrics or leathers, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric and welt upcharges.

- A) One fabric or leather for top seat panel and upper body
yardage: 2.0 yds. leather: 36.0 sq. ft.
- B) One fabric or leather for lower body
yardage: 1.0 yds. leather: 18.0 sq. ft.
- C) One fabric or leather for welt
yardage: 1.0 yds. leather: 18.0 sq. ft.

Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

**Denotes yardage requirement when the same fabric is specified for the entire piece.

gallery 5283



| Seat Height | Arm Height | W | D | H | Fabric | Leather | Weight | Cubes/Qty | | | | |
|-------------|------------|--------|--------|--------|-------------|---------|---------|-----------|------|------|------|------|
| 17" | - | 31" | 31" | 17" | **4.75 yds. | **82.0' | 43 lbs. | 13.86'/1 | | | | |
| 432 | - | 788 mm | 788 mm | 432 mm | 4.3 m | 7.6 sqm | 20 kg | .40 cu | | | | |
| COM | COL | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 |
| 1082 | 1197 | 1491 | 1555 | 1632 | 1677 | 1721 | 1747 | 1785 | 1843 | 1939 | 2028 | 2303 |

Ottoman. Fully Upholstered. Saddle Stitch. Non-marring Glides.

*All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. GREENGUARD Gold Certified. See terms and conditions for additional environmental information.


When using a combination of fabrics or leathers, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric and welt upcharges.

- A) One fabric or leather for top seat panel and upper body
yardage: 2.0 yds. leather: 36.0 sq. ft.
- B) One fabric or leather for lower body
yardage: 2.0 yds. leather: 36.0 sq. ft.
- C) One fabric or leather for welt
yardage: 1.25 yds. leather: 32.0 sq. ft.

Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

**Denotes yardage requirement when the same fabric is specified for the entire piece.

gallery 5284



| 17" | - | 37" | 37" | 17" | **4.75 yds. | **86.0' | 64 lbs. | 19.36'/1 | | | | |
|--------|------|--------|--------|--------|-------------|---------|---------|----------|------|------|------|------|
| 432 mm | - | 940 mm | 940 mm | 432 mm | 4.3 m | 8.0 sqm | 29 kg | .55 cu | | | | |
| COM | COL | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 |
| 1314 | 1429 | 1723 | 1787 | 1864 | 1909 | 1953 | 1979 | 2017 | 2075 | 2171 | 2260 | 2535 |

Ottoman. Fully Upholstered. Saddle Stitch. Non-marring Glides.

*All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. GREENGUARD Gold Certified. See terms and conditions for additional environmental information.

When using a combination of fabrics or leathers, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric and welt upcharges.

- A) One fabric or leather for top seat panel and upper body
yardage: 2.0 yds. leather: 36.0 sq. ft.
- B) One fabric or leather for lower body
yardage: 2.0 yds. leather: 36.0 sq. ft.
- C) One fabric or leather for welt
yardage: 1.25 yds. leather: 32.0 sq. ft.

Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

**Denotes yardage requirement when the same fabric is specified for the entire piece.

gallery 5291



| Seat Height | Arm Height | W | D | H | Fabric | Leather | Weight | Cubes/Qty | | | | |
|-------------|------------|--------|--------|--------|-----------|---------|---------|-----------|------|------|------|------|
| 17" | - | 22" | 19" | 17" | **2.5 yds | **44.0' | 30 lbs. | 5.88/1 | | | | |
| 432 mm | - | 559 mm | 483 mm | 432 mm | 2.3 m | 4.1 sqm | 14.0 kg | .27 cu | | | | |
| COM | COL | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 |
| 773 | 853 | 1058 | 1102 | 1156 | 1187 | 1218 | 1236 | 1262 | 1302 | 1369 | 1431 | 1622 |

Bench. Fully Upholstered. Saddle Stitch. Non-marring Glides.

*All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. GREENGUARD Gold Certified. See terms and conditions for additional environmental information.

When using a combination of fabrics or leathers, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric and welt upcharges.

- A) One fabric or leather for top seat panel and upper body
yardage: 2.0 yds leather: 36.0 sq. ft.
- B) One fabric or leather for lower body
yardage: 1.0 yds. leather: 18.0 sq. ft.
- C) One fabric or leather for welt
yardage: 1.0 yds. leather: 18.0 sq. ft.

Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

**Denotes yardage requirement when the same fabric is specified for the entire piece.

gallery 5291M



| 17" | - | 22" | 19" | 17" | **2.5 yds | **44.0' | 30 lbs. | 5.88/1 | | | | |
|--------|-----|--------|--------|--------|-----------|---------|---------|--------|------|------|------|------|
| 432 mm | - | 559 mm | 483 mm | 432 mm | 2.3 m | 4.1 sqm | 14.0 kg | .27 cu | | | | |
| COM | COL | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 |
| 850 | 930 | 1135 | 1179 | 1233 | 1264 | 1295 | 1313 | 1339 | 1379 | 1446 | 1508 | 1699 |

Mobile Bench. Fully Upholstered. Saddle Stitch. Concealed Casters.

Four small concealed casters. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. GREENGUARD Gold Certified. See terms and conditions for additional environmental information.


When using a combination of fabrics or leathers, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric and welt upcharges.

- A) One fabric or leather for top seat panel and upper body
yardage: 2.0 yds. leather: 36.0 sq. ft.
- B) One fabric or leather for lower body
yardage: 1.0 yds. leather: 18.0 sq. ft.
- C) One fabric or leather for welt
yardage: 1.0 yds. leather: 18.0 sq. ft.

Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

**Denotes yardage requirement when the same fabric is specified for the entire piece.

gallery 5295



| Seat Height | Arm Height | W | D | H | Fabric | Leather | Weight | Cubes/Qty | | | | |
|-------------|------------|---------|--------|--------|-----------|---------|---------|-----------|------|------|------|------|
| 17" | - | 48½" | 20¾" | 17" | **2.8 yds | **50.0' | 66 lbs. | 29.75'/1 | | | | |
| 432 mm | - | 1222 mm | 527 mm | 432 mm | 2.6 m | 4.6 sqm | 30 kg | .84 cu | | | | |
| COM | COL | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 |
| 1314 | 1399 | 1617 | 1664 | 1721 | 1754 | 1787 | 1806 | 1834 | 1876 | 1947 | 2013 | 2216 |

Two-seat Bench. Fully Upholstered. Saddle Stitch. Non-marring Glides.

*All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. GREENGUARD Gold Certified. See terms and conditions for additional environmental information.


When using a combination of fabrics or leathers, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric and welt upcharges.

- A) One fabric or leather for top seat panel and upper body
yardage: 2.25 yds. leather: 39.0 sq. ft.
- B) One fabric or leather for lower body
yardage: 1.0 yds. leather: 18.0 sq. ft.
- C) One fabric or leather for welt
yardage: 1.0 yds. leather: 18.0 sq. ft.

Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

**Denotes yardage requirement when the same fabric is specified for the entire piece.

gallery 5295M



| 17" | - | 48½" | 20¾" | 17" | **2.8 yds | **50.0' | 66 lbs. | 29.75'/1 | | | | |
|--------|------|---------|--------|--------|-----------|---------|---------|----------|------|------|------|------|
| 432 mm | - | 1222 mm | 527 mm | 432 mm | 2.6 m | 4.6 sqm | 30 kg | .84 cu | | | | |
| COM | COL | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 |
| 1442 | 1527 | 1745 | 1792 | 1849 | 1882 | 1915 | 1934 | 1962 | 2004 | 2075 | 2141 | 2344 |

Mobile Two-seat Bench. Fully Upholstered. Saddle Stitch. Concealed Casters.

Six small concealed casters. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. GREENGUARD Gold Certified. See terms and conditions for additional environmental information.


When using a combination of fabrics or leathers, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric and welt upcharges.

- A) One fabric or leather for top seat panel and upper body
yardage: 2.25 yds. leather: 39.0 sq. ft.
- B) One fabric or leather for lower body
yardage: 1.0 yds. leather: 18.0 sq. ft.
- C) One fabric or leather for welt
yardage: 1.0 yds. leather: 18.0 sq. ft.

Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

**Denotes yardage requirement when the same fabric is specified for the entire piece.

gallery 5297



| Seat Height | Arm Height | W | D | H | Fabric | Leather | Weight | Cubes/Qty | | | | |
|-------------|------------|---------|--------|--------|-----------|---------|----------|-----------|------|------|------|------|
| 17" | - | 72" | 21" | 17" | **3.8 yds | **66.0' | 105 lbs. | 37.62'/1 | | | | |
| 432 mm | - | 1829 mm | 533 mm | 432 mm | 3.5 m | 6.1 sqm | 48 kg | 1.07 cu | | | | |
| COM | COL | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 |
| 1700 | 1800 | 2056 | 2112 | 2178 | 2217 | 2256 | 2278 | 2312 | 2362 | 2445 | 2523 | 2762 |

Two-seat Bench. Fully Upholstered. Saddle Stitch. Non-marring Glides.

*All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. GREENGUARD Gold Certified. See terms and conditions for additional environmental information.


When using a combination of fabrics or leathers, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric and welt upcharges.

- A) One fabric or leather for top seat panel and upper body
yardage: 3.0 yds. leather: 49.0 sq. ft.
- B) One fabric or leather for lower body
yardage: 1.0 yds. leather: 18.0 sq. ft.
- C) One fabric or leather for welt
yardage: 1.0 yds. leather: 18.0 sq. ft.

Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

**Denotes yardage requirement when the same fabric is specified for the entire piece.</p>

gallery 5297M



| 17" | - | 72" | 21" | 17" | **3.8 yds | **66.0' | 105 lbs. | 37.62'/1 | | | | |
|--------|------|---------|--------|--------|-----------|---------|----------|----------|------|------|------|------|
| 432 mm | - | 1829 mm | 533 mm | 432 mm | 3.5 m | 6.1 sqm | 48 kg | 1.07 cu | | | | |
| COM | COL | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 |
| 1777 | 1877 | 2133 | 2189 | 2255 | 2294 | 2333 | 2355 | 2389 | 2439 | 2522 | 2600 | 2839 |

Mobile Three-seat Bench. Fully Upholstered. Saddle Stitch. Concealed Casters.

Eight small concealed casters. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. GREENGUARD Gold Certified. See terms and conditions for additional environmental information.

When using a combination of fabrics or leathers, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric and welt upcharges.

- A) One fabric or leather for top seat panel and upper body
yardage: 3.0 yds. leather: 49.0 sq. ft.
- B) One fabric or leather for lower body
yardage: 1.0 yds. leather: 18.0 sq. ft.
- C) One fabric or leather for welt
yardage: 1.0 yds. leather: 18.0 sq. ft.

Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

**Denotes yardage requirement when the same fabric is specified for the entire piece.